



9.0 Deep Security

SP1 Supported Linux Kernels

Trend Micro Incorporated reserves the right to make changes to this document and to the products described herein without notice. Before installing and using the software, please review the readme files, release notes, and the latest version of the applicable user documentation, which are available from the Trend Micro Web site at: <http://www.trendmicro.com/download> Trend Micro, the Trend Micro t-ball logo, Deep Security, Control Server Plug-in, Damage Cleanup Services, eServer Plug-in, InterScan, Network VirusWall, ScanMail, ServerProtect, and TrendLabs are trademarks or registered trademarks of Trend Micro, Incorporated. All other product or company names may be trademarks or registered trademarks of their owners. Document version: 1.0

Document number: APEM95864/130213

Release date: May 2013

Table of Contents

- Red Hat..... 4
- CentOS 7
- Oracle Linux..... 9
- Amazon Linux 11
- SuSE..... 12
- Ubuntu 18

Red Hat Kernels

The following tables list the Trend Micro Deep Security Agent 9.0 SP1 supported Red Hat kernels.

Terms

- **UNI**
 - Uniprocessor support for x86 and Athlon systems (can be run on a multi-processor system, but only one processor is utilized)
 - Multi-processor support for all other architectures
 - For x86 systems, only the first 4 GB of RAM is used; use the kernel-hugemem package for x86 systems with over 4 GB of RAM
- **SMP**
 - Multi-processor support
 - Support for more than 4 GB of RAM (up to 32 GB for x86)
- **Hugemem/PAE**
 - Support for more than 4 GB of RAM (up to 64 GB for x86)
 - PAE (Physical Address Extension) or 3 level paging on x86 processors that support PAE
 - Support for multiple processors
 - 4 GB/4 GB split - 4 GB of virtual address space for the kernel and almost 4 GB for each user process on x86 systems
- **XEN**
 - XEN-optimized version of the Linux kernel.

Key

- **Y:** Supported
- **N:** Not supported

Red Hat 5

Version	32/64	Uni	XEN	PAE
2.6.18-8.el5	32	Y	Y	Y
2.6.18-53.el5	32	Y	Y	Y
2.6.18-92.el5	32	Y	Y	Y
2.6.18-128.el5	32	Y	Y	Y
2.6.18-164.el5	32	Y	Y	Y
2.6.18-194.el5	32	Y	Y	Y

Version	32/64	Uni	XEN	PAE
2.6.18-238.el5	32	Y	Y	Y
2.6.18-274.el5	32	Y	Y	Y
2.6.18-308.el5	32	Y	Y	Y
2.6.18-348.el5	32	Y	Y	Y

Version	32/64	Uni	XEN
2.6.18-8.el5	64	Y	Y
2.6.18-53.el5	64	Y	Y
2.6.18-92.el5	64	Y	Y
2.6.18-128.el5	64	Y	Y
2.6.18-164.el5	64	Y	Y
2.6.18-194.el5	64	Y	Y
2.6.18-238.el5	64	Y	Y
2.6.18-274.el5	64	Y	Y
2.6.18-308.el5	64	Y	Y
2.6.18-348.el5	64	Y	Y

Red Hat 6

Version	32/64	Uni
2.6.32-71.el6	32	Y
2.6.32-220.el6	32	Y
2.6.32-279.el6	32	Y
2.6.32-358.el6	32	Y

Version	32/64	Uni
2.6.32-71.el6	64	Y
2.6.32-220.el6	64	Y
2.6.32-279.el6	64	Y
2.6.32-358.el6	64	Y

Red Hat 6 running on AWS

Version	AMI ID	32/64	Result
2.6.32-358.6.1.el6	ami-d258fbbb	32	Y

Version	AMI ID	32/64	Result
2.6.32-358.6.1.el6	ami-cc5af9a5	64	Y

CentOS Kernels

The following tables list the Trend Micro Deep Security Agent 9.0 SP1 supported CentOS kernels.

Terms

- **UNI**
 - Uniprocessor support for x86 and Athlon systems (can be run on a multi-processor system, but only one processor is utilized)
 - Multi-processor support for all other architectures
 - For x86 systems, only the first 4 GB of RAM is used; use the kernel-hugemem package for x86 systems with over 4 GB of RAM
- **SMP**
 - Multi-processor support
 - Support for more than 4 GB of RAM (up to 32 GB for x86)
- **Hugemem/PAE**
 - Support for more than 4 GB of RAM (up to 64 GB for x86)
 - PAE (Physical Address Extension) or 3 level paging on x86 processors that support PAE
 - Support for multiple processors
 - 4 GB/4 GB split - 4 GB of virtual address space for the kernel and almost 4 GB for each user process on x86 systems
- **XEN**
 - XEN-optimized version of the Linux kernel

Key

- **Y:**Supported
- **N:** Not supported

CentOS 5

Version	32/64	Uni	XEN	PAE
2.6.18-8.el5	32	Y	Y	Y
2.6.18-53.el5	32	Y	Y	Y
2.6.18-92.el5	32	Y	Y	Y
2.6.18-128.el5	32	Y	Y	Y
2.6.18-164.el5	32	Y	Y	Y
2.6.18-194.el5	32	Y	Y	Y

Version	32/64	Uni	XEN	PAE
2.6.18-238.el5	32	Y	Y	Y
2.6.18-274.el5	32	Y	Y	Y
2.6.18-308.el5	32	Y	Y	Y

Version	32/64	Uni	XEN
2.6.18-8.el5	64	Y	Y
2.6.18-53.el5	64	Y	Y
2.6.18-92.el5	64	Y	Y
2.6.18-128.el5	64	Y	Y
2.6.18-164.el5	64	Y	Y
2.6.18-194.el5	64	Y	Y
2.6.18-238.el5	64	Y	Y
2.6.18-274.el5	64	Y	Y
2.6.18-308.el5	64	Y	Y

CentOS 6

Version	32/64	Uni
2.6.32-71.el6	32	Y
2.6.32-220.el6	32	Y
2.6.32-279.el6	32	Y

Version	32/64	Uni
2.6.32-71.el6	64	Y
2.6.32-220.el6	64	Y
2.6.32-279.el6	64	Y

Oracle Linux Kernels

The following tables list the Trend Micro Deep Security Agent 9.0 SP1 supported Oracle Linux kernels (Redhat-compatible kernels).

Terms

- **Uni**
 - Uniprocessor support for x86 and Athlon systems (can be run on a multi-processor system, but only one processor is utilized)
 - Multi-processor support for all other architectures
 - For x86 systems, only the first 4 GB of RAM is used; use the kernel-hugemem package for x86 systems with over 4 GB of RAM
- **SMP**
 - Multi-processor support
 - Support for more than 4 GB of RAM (up to 32 GB for x86)
- **Hugemem/PAE**
 - Support for more than 4 GB of RAM (up to 64 GB for x86)
 - PAE (Physical Address Extension) or 3 level paging on x86 processors that support PAE
 - Support for multiple processors
 - 4 GB/4 GB split - 4 GB of virtual address space for the kernel and almost 4 GB for each user process on x86 systems
- **XEN**
 - XEN-optimized version of the Linux kernel

Key

- **Y:**Supported
- **N:** Not supported

Oracle Linux 5

Version	32/64	Uni
2.6.18-8.el5	32	N
2.6.18-53.el5	32	N
2.6.18-92.el5	32	Y
2.6.18-128.el5	32	Y
2.6.18-164.el5	32	Y

Version	32/64	Uni
2.6.18-194.el5	32	Y
2.6.18-238.el5	32	Y
2.6.18-274.el5	32	Y
2.6.18-308.el5	32	Y
2.6.18-348.el5	32	Y

Version	32/64	Uni
2.6.18-8.el5	64	N
2.6.18-53.el5	64	N
2.6.18-92.el5	64	Y
2.6.18-128.el5	64	Y
2.6.18-164.el5	64	Y
2.6.18-194.el5	64	Y
2.6.18-238.el5	64	Y
2.6.18-274.el5	64	Y
2.6.18-308.el5	64	Y
2.6.18-348.el5	64	Y

Oracle Linux 6

Version	32/64	Uni
2.6.32-71.el6	32	Y
2.6.32-220.el6	32	Y
2.6.32-279.el6	32	Y
2.6.32-358.el6	32	Y

Version	32/64	Uni
2.6.32-71.el6	64	Y
2.6.32-220.el6	64	Y
2.6.32-279.el6	64	Y
2.6.32-358.el6	64	Y

Amazon Linux Kernels

The following tables list the Trend Micro Deep Security Agent 9.0 SP1 supported Amazon Linux kernels.

Terms

- **AMI:** Amazon Machine Image. An Operating System platform instance containing the necessary information for certain tasks.

Key

- **Y:** Supported
- **N:** Not supported

Amazon Linux (AMI Linux 6)

Version	AMI ID	32/64	Result
3.2.30-49.59.amzn1.i686	ami-1a249873	32	Y
3.2.36-1.46.amzn1.i686	ami-1a249873	32	Y
3.2.37-2.47.amzn1.i686	ami-1a249873	32	Y
3.2.38-5.48.amzn1.i686	ami-1a249873	32	Y
3.2.39-6.88.amzn1.i686	ami-1a249873	32	Y
3.4.37-40.44.amzn1.i686	ami-1a249873	32	Y

Version	AMI ID	32/64	Result
3.2.30-49.59.amzn1.x86_64	ami-1624987f	64	Y
3.2.36-1.46.amzn1.x86_64	ami-1624987f	64	Y
3.2.37-2.47.amzn1.x86_64	ami-1624987f	64	Y
3.2.38-5.48.amzn1.x86_64	ami-1624987f	64	Y
3.2.39-6.88.amzn1.x86_64	ami-1624987f	64	Y
3.4.37-40.44.amzn1.x86_64	ami-1624987f	64	Y

SuSE Kernels

The following tables list the Trend Micro Deep Security Agent 9.0 SP1 supported SuSE kernels.

Terms

- **UNI**
 - Uniprocessor support for x86 and Athlon systems (can be run on a multi-processor system, but only one processor is utilized)
 - Multi-processor support for all other architectures
 - For x86 systems, only the first 4 GB of RAM is used; use the kernel-hugemem package for x86 systems with over 4 GB of RAM
- **SMP**
 - Multi-processor support
 - Support for more than 4 GB of RAM (up to 32 GB for x86)
- **Hugemem/PAE**
 - Support for more than 4 GB of RAM (up to 64 GB for x86)
 - PAE (Physical Address Extension) or 3 level paging on x86 processors that support PAE
 - Support for multiple processors
 - 4 GB/4 GB split - 4 GB of virtual address space for the kernel and almost 4 GB for each user process on x86 systems
- **BIGSMP**
 - Enabling support for 64 GB memory and 128 processors

Key

- **Y:** Supported
- **N:** Not supported

SuSE 10 SP3

Version	32/64	Uni	SMP	BIGSMP
2.6.16.60-0.54.5	32	N	N	N
2.6.16.60-0.57.1	32	N	N	N
2.6.16.60-0.58.1	32	N	N	N
2.6.16.60-0.59.1	32	N	N	N
2.6.16.60-0.60.1	32	N	N	N
2.6.16.60-0.62.1	32	N	N	N

Version	32/64	Uni	SMP	BIGSMP
2.6.16.60-0.66.1	32	N	N	N
2.6.16.60-0.67.1	32	Y	Y	Y
2.6.16.60-0.68.1	32	Y	Y	Y
2.6.16.60-0.69.1	32	Y	Y	Y
2.6.16.60-0.74.7	32	N	N	N
2.6.16.60-0.76.8	32	Y	Y	Y
2.6.16.60-0.77.1	32	Y	Y	Y
2.6.16.60-0.79.1	32	Y	Y	Y
2.6.16.60-0.81.2	32	Y	Y	N
2.6.16.60-0.83.2	32	Y	Y	Y

Version	32/64	Uni	SMP
2.6.16.60-0.54.5	64	Y	Y
2.6.16.60-0.57.1	64	Y	Y
2.6.16.60-0.58.1	64	Y	Y
2.6.16.60-0.59.1	64	Y	Y
2.6.16.60-0.60.1	64	Y	Y
2.6.16.60-0.62.1	64	Y	Y
2.6.16.60-0.66.1	64	Y	Y
2.6.16.60-0.67.1	64	Y	Y
2.6.16.60-0.68.1	64	Y	Y
2.6.16.60-0.69.1	64	Y	Y
2.6.16.60-0.74.7	64	Y	Y
2.6.16.60-0.76.8	64	Y	Y
2.6.16.60-0.77.1	64	Y	Y
2.6.16.60-0.79.1	64	N	N
2.6.16.60-0.81.2	64	Y	Y
2.6.16.60-0.83.2	64	Y	Y

SuSE 10 SP4

Version	32/64	Uni	SMP	BIGSMP
2.6.16.60-0.85.1	32	Y	Y	Y

Version	32/64	Uni	SMP	BIGSMP
2.6.16.60-0.87.1	32	Y	Y	Y
2.6.16.60-0.89.1	32	Y	Y	Y
2.6.16.60-0.91.1	32	Y	Y	Y
2.6.16.60-0.93.1	32	Y	Y	Y
2.6.16.60-0.97.1	32	Y	N	Y
2.6.16.60-0.99.1	32	Y	Y	Y
2.6.16.60-0.101.1	32	Y	Y	Y

Version	32/64	Uni	SMP
2.6.16.60-0.85.1	64	Y	Y
2.6.16.60-0.87.1	64	Y	Y
2.6.16.60-0.89.1	64	Y	Y
2.6.16.60-0.91.1	64	Y	Y
2.6.16.60-0.93.1	64	Y	Y
2.6.16.60-0.97.1	64	Y	Y
2.6.16.60-0.99.1	64	Y	Y
2.6.16.60-0.101.1	64	Y	Y

SuSE 11

Version	32/64	Uni	PAE
2.6.27.19-5	32	Y	Y
2.6.27.21-0.1	32	Y	Y
2.6.27.23-0.1	32	Y	Y
2.6.27.25-0.1	32	Y	Y
2.6.27.29-0.1	32	Y	Y
2.6.27.37-0.1	32	Y	Y
2.6.27.39-0.3	32	Y	N
2.6.27.42-0.1	32	Y	Y
2.6.27.45-0.1	32	Y	Y
2.6.27.48-0.1	32	Y	Y
2.6.27.48-0.6	32	Y	Y
2.6.27.48-0.12	32	Y	Y

Version	32/64	Uni	PAE
2.6.27.54-0.2	32	Y	Y

Version	32/64	Uni
2.6.27.19-5	64	Y
2.6.27.21-0.1	64	Y
2.6.27.23-0.1	64	Y
2.6.27.25-0.1	64	Y
2.6.27.29-0.1	64	Y
2.6.27.37-0.1	64	Y
2.6.27.39-0.3	64	Y
2.6.27.42-0.1	64	Y
2.6.27.45-0.1	64	Y
2.6.27.48-0.1	64	Y
2.6.27.48-0.6	64	Y
2.6.27.48-0.12	64	Y
2.6.27.54-0.2	64	Y

SuSE 11 SP1

Version	32/64	Uni	PAE
2.6.32.12-0.7	32	Y	Y
2.6.32.13-0.4	32	Y	Y
2.6.32.13-0.5	32	N	N
2.6.32.19-0.2	32	Y	Y
2.6.32.19-0.3	32	Y	Y
2.6.32.23-0.3	32	Y	Y
2.6.32.24-0.2	32	Y	Y
2.6.32.27-0.2	32	Y	N
2.6.32.29-0.3	32	Y	Y
2.6.32.36-0.5	32	Y	Y
2.6.32.43-0.4	32	Y	Y
2.6.32.45-0.3	32	Y	Y
2.6.32.46-0.3	32	Y	Y

Version	32/64	Uni	PAE
2.6.32.49-0.3	32	Y	Y
2.6.32.54-0.3	32	Y	Y
2.6.32.59-0.3	32	Y	Y
2.6.32.59-0.7	32	Y	Y

Version	32/64	Uni
2.6.32.12-0.7	64	Y
2.6.32.13-0.4	64	Y
2.6.32.13-0.5	64	N
2.6.32.19-0.2	64	Y
2.6.32.19-0.3	64	Y
2.6.32.23-0.3	64	Y
2.6.32.24-0.2	64	Y
2.6.32.27-0.2	64	Y
2.6.32.29-0.3	64	Y
2.6.32.36-0.5	64	Y
2.6.32.43-0.4	64	Y
2.6.32.45-0.3	64	Y
2.6.32.46-0.3	64	Y
2.6.32.49-0.3	64	Y
2.6.32.54-0.3	64	Y
2.6.32.59-0.3	64	Y
2.6.32.59-0.7	64	Y

SuSE 11 SP2

Version	32/64	Uni	PAE
3.0.13-0.27	32	Y	Y
3.0.26-0.7	32	Y	Y
3.0.31-0.9	32	Y	Y
3.0.34-0.7	32	Y	Y
3.0.38-0.5	32	Y	Y
3.0.42-0.7	32	N	N

Version	32/64	Uni	PAE
3.0.51-0.7	32	N	N
3.0.58-0.6.2	32	Y	Y
3.0.58-0.6.6	32	Y	Y

Version	32/64	Uni
3.0.13-0.27	64	Y
3.0.26-0.7	64	Y
3.0.31-0.9	64	Y
3.0.34-0.7	64	Y
3.0.38-0.5	64	Y
3.0.42-0.7	64	N
3.0.51-0.7	64	N
3.0.58-0.6.2	64	Y
3.0.58-0.6.6	64	Y

SuSE 11 running on AWS

Version	AMI ID	32/64	Result
3.0.13-0.27-ec2	ami-0c32ef65	32	Y
3.0.58-0.6.6-2	ami-ca32efa3	64	Y

Version	AMI ID	32/64	Result
3.0.13-0.27-ec2	ami-ca32efa3	64	Y
3.0.58-0.6.6-2	ami-ca32efa3	64	Y

Ubuntu Kernels

The following tables list the Trend Micro Deep Security Agent 9.0 SP1 supported Ubuntu Kernels.

Terms

- **Server:** the server-optimized version of the Ubuntu kernel
- **Generic :** the default version of the Ubuntu kernel

Key

- **Y:** Supported
- **N:** Not supported

Ubuntu 10

Version	32/64	Server
2.6.32-32-server	64	Y
2.6.32-33-server	64	Y
2.6.32-34-server	64	Y
2.6.32-35-server	64	Y
2.6.32-36-server	64	Y
2.6.32-37-server	64	Y
2.6.32-38-server	64	Y
2.6.32-39-server	64	Y
2.6.32-40-server	64	Y
2.6.32-41-server	64	Y
2.6.32-42-server	64	Y
2.6.32-43-server	64	Y
2.6.32-44-server	64	Y
2.6.32-45-server	64	Y
2.6.32-46-server	64	Y

Ubuntu 12

Version	32/64	Generic
3.2.0-23-generic	64	Y
3.2.0-24-generic	64	Y
3.2.0-25-generic	64	Y
3.2.0-26-generic	64	Y
3.2.0-27-generic	64	Y
3.2.0-29-generic	64	Y
3.2.0-30-generic	64	Y
3.2.0-31-generic	64	Y
3.2.0-32-generic	64	Y
3.2.0-33-generic	64	Y
3.2.0-34-generic	64	Y
3.2.0-35-generic	64	Y
3.2.0-36-generic	64	Y
3.2.0-37-generic	64	Y
3.2.0-38-generic	64	Y
3.2.0-39-generic	64	Y
3.2.0-40-generic	64	Y
3.2.0-41-generic	64	Y

Ubuntu 12 running on AWS

Version	AMI ID	32/64	Result
3.2.0-34-virtual	ami-3d4ff254	64	Y
3.2.0-41-virtual	ami-3d4ff254	64	Y



TREND MICRO INCORPORATED

10101 North De Anza Blvd. Cupertino, CA., 95014, USA

Tel:+1(408)257-1500/1-800 228-5651 Fax:+1(408)257-2003 info@trendmicro.com

www.trendmicro.com

Item Code: APEM95864/130213