



10.6 OfficeScan™

SP2 System Requirements

For Enterprise and Medium Business



Endpoint Security



Protected Cloud



Web Security



Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



Trend Micro Incorporated reserves the right to make changes to this document and to the products described herein without notice. Before installing and using the software, please review the readme files, release notes, and the latest version of the applicable user documentation, which are available from the Trend Micro website at:

<http://docs.trendmicro.com/en-us/enterprise/officescan.aspx>

Trend Micro, the Trend Micro t-ball logo, and OfficeScan are trademarks or registered trademarks of Trend Micro Incorporated. All other product or company names may be trademarks or registered trademarks of their owners.

Copyright © 2013 Trend Micro Incorporated. All rights reserved.

Release Date: January 2013

Protected by U.S. Patent No. 5,623,600; 5,889,943; 5,951,698; 6,119,165



Table of Contents

| | |
|---|----|
| OfficeScan Server – Fresh Installations on Windows Server 2003 | 5 |
| OfficeScan Server – Fresh Installations on Windows Server 2008 | 6 |
| OfficeScan Server – Fresh Installations on Windows MultiPoint Server 2010 | 9 |
| OfficeScan Server – Fresh Installations on Windows MultiPoint Server 2011 | 10 |
| OfficeScan Server – Fresh Installations on Windows Server 2012 | 11 |
| OfficeScan Server – Fresh Installations on Windows MultiPoint Server 2012 | 13 |
| OfficeScan Server – Fresh Installations on Windows Storage Server 2012 | 14 |
| OfficeScan Client – Fresh Installations on Windows XP..... | 15 |
| OfficeScan Client – Fresh Installations on Windows Server 2003 | 16 |
| OfficeScan Client – Fresh Installations on Windows Vista..... | 18 |
| OfficeScan Client – Fresh Installations on Windows Server 2008 | 19 |
| OfficeScan Client – Fresh Installations on Windows HPC Server 2008 R2..... | 22 |
| OfficeScan Client – Fresh Installations on Windows MultiPoint Server 2010 | 23 |
| OfficeScan Client – Fresh Installations on Windows MultiPoint Server 2011 | 24 |
| OfficeScan Client – Fresh Installations on Windows 7..... | 25 |
| OfficeScan Client – Fresh Installations on Windows Embedded POSReady 2009..... | 27 |
| OfficeScan Client – Fresh Installations on Windows Embedded POSReady 7 | 28 |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



| | |
|---|----|
| OfficeScan Client – Fresh Installations on Windows Server 2012 | 29 |
| OfficeScan Client – Fresh Installations on Windows Storage Server 2012 | 30 |
| OfficeScan Client – Fresh Installations on Windows MultiPoint Server 2012 | 31 |
| OfficeScan Client – Fresh Installations on Windows Server 2012 Failover Clusters..... | 32 |
| OfficeScan Client – Fresh Installations on Windows 8..... | 33 |
| OfficeScan Server – Upgrading From Version 10.x | 34 |
| OfficeScan Client – Upgrading From Version 10.x | 36 |
| OfficeScan Server – Upgrading From Version 8.0 SP1 | 37 |
| OfficeScan Client – Upgrading From Version 8.0 SP1 | 38 |
| OfficeScan Server – Web Console..... | 40 |
| OfficeScan – Virtualization Support | 41 |
| OfficeScan Client – Update Agent..... | 42 |
| OfficeScan Client – Compatible Third-Party Products | 43 |

OfficeScan Server – Fresh Installations on Windows Server 2003

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Web Server and Third Party Programs | | Others |
|---|-------------------|------------|--------------|--|--|--|---|--|---|
| | | | | | | | IIS and Third-Party Programs | Apache and Third-Party Programs | |
| Windows Server 2003 Windows Server 2003 R2 Windows Storage Server 2003 Windows Storage Server 2003 R2 Windows Compute Cluster Server 2003 | 32-bit/ 64-bit | Standard | SP1/SP2 | At least 1.86GHz Intel™ Core™2 Duo | 1GB minimum with at least 500MB exclusively for OfficeScan 2GB recommended | 3.1GB minimum if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco™ NAC, and integrated Smart Protection Server locally 3.5GB minimum if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely | Microsoft IIS 6.0 | Apache™ web server 2.0.x | Gigabit Network Interface Card (NIC) Monitor that supports 1024 x 768 resolution at 256 colors or higher |
| | | Enterprise | SP1/SP2 | | | | FastCGI 1.5-RTW, 32-bit or 64-bit depending on the system architecture | Note: If Apache web server exists on the computer but the version is not 2.0.x, OfficeScan will install and use version 2.0.63. The existing Apache web server is not removed. | |
| | | Datacenter | SP1/SP2 | | | | PHP 5.3.5 VC9, 32-bit, Non Thread Safe, with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, OPENSLL, SQLITE3 extensions | PHP 5.2.13, 32-bit, Thread Safe with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, MCRYPT extensions (excluding PDO_SQLITE_EXTERNAL) | |
| | | Standard | SP1/SP2 | | | | | | |
| | | Enterprise | SP1/SP2 | | | | | | |
| | | Datacenter | SP1/SP2 | | | | | | |
| | | Basic | SP1/SP2 | | | | | | |
| | | Standard | SP1/SP2 | | | | | | |
| | | Enterprise | SP1/SP2 | | | | | | |
| | | Workgroup | SP1/SP2 | | | | | | |
| | | Basic | SP1/SP2 | | | | | | |
| | | Standard | SP1/SP2 | | | | | | |
| Enterprise | SP1/SP2 | | | | | | | | |
| Workgroup | SP1/SP2 | | | | | | | | |
| N/A | None | | | | | | | | |



OfficeScan Server – Fresh Installations on Windows Server 2008

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Web Server and Third Party Programs | | Others |
|---------------------|-------------------|------------|--------------|--|---|--|---|--|---|
| | | | | | | | IIS and Third-Party Programs | Apache and Third-Party Programs | |
| Windows Server 2008 | 32-bit/ 64-bit | Standard | SP1/SP2 | At least 1.86GHz Intel Core2 Duo AMD™ 64 processor Intel 64 processor | 1GB minimum with at least 500MB exclusively for OfficeScan 2GB recommended | 3.1GB minimum if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco NAC, and integrated Smart Protection Server locally 3.5GB minimum if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely | Microsoft IIS 7.0 | Apache web server 2.0.x | Gigabit Network Interface Card (NIC) Monitor that supports 1024 x 768 resolution at 256 colors or higher |
| | | Enterprise | SP1/SP2 | | | | FastCGI 1.5-RTW, 32-bit or 64-bit depending on the system architecture | Note: If Apache web server exists on the computer but the version is not 2.0.x, OfficeScan will install and use version 2.0.63. The existing Apache web server is not removed. | |
| | | Datacenter | SP1/SP2 | | | | PHP 5.3.5 VC9, 32-bit, Non Thread Safe, with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, OPENSLL, SQLITE3 extensions | PHP 5.2.13, 32-bit, Thread Safe with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, MCRYPT extensions (excluding PDO_SQLITE_EXTERNAL) | |
| | | Web | SP1/SP2 | | | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Web Server and Third Party Programs | | Others |
|------------------------|--------|------------|------------------|----------------------------------|--|--|---|--|---|
| | | | | | | | IIS and Third-Party Programs | Apache and Third-Party Programs | |
| Windows Server 2008 R2 | 64-bit | Standard | With/Without SP1 | At least 1.86GHz Intel Core2 Duo | 1GB minimum with at least 500MB exclusively for OfficeScan | 3.1GB minimum if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco™ NAC, and integrated Smart Protection Server locally | Microsoft IIS 7.5 | Apache web server 2.0.x | Gigabit Network Interface Card (NIC) Monitor that supports 1024 x 768 resolution at 256 colors or higher |
| | | Enterprise | With/Without SP1 | AMD 64 processor | 2GB recommended | 3.5GB minimum if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely | FastCGI 1.5-RTW, 32-bit or 64-bit depending on the system architecture | Note: If Apache web server exists on the computer but the version is not 2.0.x, OfficeScan will install and use version 2.0.63. The existing Apache web server is not removed. | |
| | | Datacenter | With/Without SP1 | Intel 64 processor | | | PHP 5.3.5 VC9, 32-bit, Non Thread Safe, with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, OPENSLL, SQLITE3 extensions | PHP 5.2.13, 32-bit, Thread Safe with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, MCRYPT extensions (excluding PDO_SQLITE_EXTERNAL) | |
| | | Web | With/Without SP1 | | | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Web Server and Third Party Programs | | Others |
|--------------------------------|---------------|------------|--------------|-----------------------------------|---|---|--|--|---|
| | | | | | | | IIS and Third-Party Programs | Apache and Third-Party Programs | |
| Windows Storage Server 2008 | 32-bit | Basic | None | At least 1.86GHz Intel™ Core2 Duo | 1GB minimum with at least 500MB exclusively for OfficeScan 2GB recommended | 3.1GB minimum if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco™ NAC, and integrated Smart Protection Server locally 3.5GB minimum if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely | Microsoft IIS 7.0 FastCGI 1.5-RTW, 32-bit or 64-bit depending on the system architecture PHP 5.3.5 VC9, 32-bit, Non Thread Safe, with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, OPENSSE, SQLITE3 extensions | Apache web server 2.0.x Note: If Apache web server exists on the computer but the version is not 2.0.x, OfficeScan will install and use version 2.0.63. The existing Apache web server is not removed. PHP 5.2.13, 32-bit, Thread Safe with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, MCRYPT extensions (excluding PDO_SQLITE_EXTERNAL) | Gigabit Network Interface Card (NIC) Monitor that supports 1024 x 768 resolution at 256 colors or higher |
| | | Standard | None | | | | | | |
| | | Enterprise | None | | | | | | |
| | 64-bit | Basic | None | AMD 64 processor | | | | | |
| | | Enterprise | None | | | | | | |
| Workgroup | None | | | | | | | | |
| Windows Storage Server 2008 R2 | 64-bit | Basic | None | Intel 64 processor | | | | | |
| | | Standard | None | | | | | | |
| | | Enterprise | None | | | | | | |
| | | Workgroup | None | | | | | | |
| Windows HPC Server 2008 | 32-bit/64-bit | N/A | None | | | | | | |
| Windows HPC Server 2008 R2 | 64-bit | N/A | | | | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Server – Fresh Installations on Windows MultiPoint Server 2010

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Web Server and Third Party Programs | | Others |
|--------------------------------|--------|---------|--------------|--|--|--|--|--|---|
| | | | | | | | IIS and Third-Party Programs | Apache and Third-Party Programs | |
| Windows MultiPoint Server 2010 | 64-bit | N/A | None | At least 1.86GHz Intel Core2 Duo AMD 64 processor Intel 64 processor | 2GB minimum with at least 500MB exclusively for OfficeScan | 3.1GB minimum if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco NAC, and integrated Smart Protection Server locally 3.5GB minimum if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely | Microsoft IIS 7.5 FastCGI 1.5-RTW, 32-bit or 64-bit depending on the system architecture PHP 5.3.5 VC9, 32-bit, Non Thread Safe, with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, OPENSLL, SQLITE3 extensions | Apache web server 2.0.x Note: If Apache web server exists on the computer but the version is not 2.0.x, OfficeScan will install and use version 2.0.63. The existing Apache web server is not removed. PHP 5.2.13, 32-bit, Thread Safe with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, MCRYPT extensions (excluding PDO_SQLITE_EXTERNAL) | Gigabit Network Interface Card (NIC) Monitor that supports 1024 x 768 resolution at 256 colors or higher |

OfficeScan Server – Fresh Installations on Windows MultiPoint Server 2011

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Web Server and Third Party Programs | | Others |
|--------------------------------|--------|----------|--------------|--|--|--|--|--|---|
| | | | | | | | IIS and Third-Party Programs | Apache and Third-Party Programs | |
| Windows MultiPoint Server 2011 | 64-bit | Standard | None | At least 1.86GHz Intel Core2 Duo AMD 64 processor Intel 64 processor | 2GB minimum with at least 500MB exclusively for OfficeScan | 3.1GB minimum if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco NAC, and integrated Smart Protection Server locally 3.5GB minimum if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely | Microsoft IIS 7.5 FastCGI 1.5-RTW, 32-bit or 64-bit depending on the system architecture PHP 5.3.5 VC9, 32-bit, Non Thread Safe, with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, OPENSLL, SQLITE3 extensions | Apache web server 2.0.x Note: If Apache web server exists on the computer but the version is not 2.0.x, OfficeScan will install and use version 2.0.63. The existing Apache web server is not removed. PHP 5.2.13, 32-bit, Thread Safe with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, MCRYPT extensions (excluding PDO_SQLITE_EXTERNAL) | Gigabit Network Interface Card (NIC) Monitor that supports 1024 x 768 resolution at 256 colors or higher |
| | | Premium | None | | | | | | |

OfficeScan Server – Fresh Installations on Windows Server 2012

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Web Server and Third Party Programs | | Others |
|---------------------|--------|------------|--------------|--|--|--|--|--|---|
| | | | | | | | IIS and Third-Party Programs | Apache and Third-Party Programs | |
| Windows Server 2012 | 64-bit | Standard | None | At least 1.86GHz Intel Core2 Duo AMD 64 processor Intel 64 processor | 2GB minimum with at least 500MB exclusively for OfficeScan | 3.1GB minimum if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco NAC, and integrated Smart Protection Server locally 3.5GB minimum if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely | Microsoft IIS 8.0 FastCGI 1.5-RTW, 32-bit or 64-bit depending on the system architecture PHP 5.3.5 VC9, 32-bit, Non Thread Safe, with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, OPENSLL, SQLITE3 extensions | Apache web server 2.0.x Note: If Apache web server exists on the computer but the version is not 2.0.x, OfficeScan will install and use version 2.0.63. The existing Apache web server is not removed. PHP 5.2.13, 32-bit, Thread Safe with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, MCRYPT extensions (excluding PDO_SQLITE_EXTERNAL) | Gigabit Network Interface Card (NIC) Monitor that supports 1024 x 768 resolution at 256 colors or higher |
| | | Datacenter | None | | | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Web Server and Third Party Programs | | Others |
|------------------------|--------|------------|--------------|--|--|--|--|--|---|
| | | | | | | | IIS and Third-Party Programs | Apache and Third-Party Programs | |
| Windows Server 2012 R2 | 64-bit | Standard | None | At least 1.86GHz Intel Core2 Duo AMD 64 processor Intel 64 processor | 2GB minimum with at least 500MB exclusively for OfficeScan | 3.1GB minimum if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco NAC, and integrated Smart Protection Server locally 3.5GB minimum if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely | Microsoft IIS 8.0 FastCGI 1.5-RTW, 32-bit or 64-bit depending on the system architecture PHP 5.3.5 VC9, 32-bit, Non Thread Safe, with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, OPENSLL, SQLITE3 extensions | Apache web server 2.0.x Note: If Apache web server exists on the computer but the version is not 2.0.x, OfficeScan will install and use version 2.0.63. The existing Apache web server is not removed. PHP 5.2.13, 32-bit, Thread Safe with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, MCRYPT extensions (excluding PDO_SQLITE_EXTERNAL) | Gigabit Network Interface Card (NIC) Monitor that supports 1024 x 768 resolution at 256 colors or higher |
| | | Datacenter | None | | | | | | |

OfficeScan Server – Fresh Installations on Windows MultiPoint Server 2012

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Web Server and Third Party Programs | | Others |
|--------------------------------|--------|----------|--------------|--|--|--|--|--|---|
| | | | | | | | IIS and Third-Party Programs | Apache and Third-Party Programs | |
| Windows MultiPoint Server 2012 | 64-bit | Standard | None | At least 1.86GHz Intel Core2 Duo AMD 64 processor Intel 64 processor | 2GB minimum with at least 500MB exclusively for OfficeScan | 3.1GB minimum if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco NAC, and integrated Smart Protection Server locally 3.5GB minimum if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely | Microsoft IIS 8.0 FastCGI 1.5-RTW, 32-bit or 64-bit depending on the system architecture PHP 5.3.5 VC9, 32-bit, Non Thread Safe, with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, OPENSLL, SQLITE3 extensions | Apache web server 2.0.x Note: If Apache web server exists on the computer but the version is not 2.0.x, OfficeScan will install and use version 2.0.63. The existing Apache web server is not removed. PHP 5.2.13, 32-bit, Thread Safe with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, MCRYPT extensions (excluding PDO_SQLITE_EXTERNAL) | Gigabit Network Interface Card (NIC) Monitor that supports 1024 x 768 resolution at 256 colors or higher |
| | | Premium | None | | | | | | |

OfficeScan Server – Fresh Installations on Windows Storage Server 2012

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Web Server and Third Party Programs | | Others |
|-----------------------------|--------|-----------|--------------|--|--|--|--|--|---|
| | | | | | | | IIS and Third-Party Programs | Apache and Third-Party Programs | |
| Windows Storage Server 2012 | 64-bit | Workgroup | None | At least 1.86GHz Intel Core2 Duo AMD 64 processor Intel 64 processor | 2GB minimum with at least 500MB exclusively for OfficeScan | 3.1GB minimum if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco NAC, and integrated Smart Protection Server locally 3.5GB minimum if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely | Microsoft IIS 8.0 FastCGI 1.5-RTW, 32-bit or 64-bit depending on the system architecture PHP 5.3.5 VC9, 32-bit, Non Thread Safe, with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, OPENSLL, SQLITE3 extensions | Apache web server 2.0.x Note: If Apache web server exists on the computer but the version is not 2.0.x, OfficeScan will install and use version 2.0.63. The existing Apache web server is not removed. PHP 5.2.13, 32-bit, Thread Safe with the CURL, SOAP, GMP, LDAP, PDO_SQLITE, MCRYPT extensions (excluding PDO_SQLITE_EXTERNAL) | Gigabit Network Interface Card (NIC) Monitor that supports 1024 x 768 resolution at 256 colors or higher |
| | | Standard | None | | | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows XP

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|------------------|--------|-----------------------------------|--------------|--|---|----------------------|--|
| Windows XP | 32-bit | Home | SP2/SP3 | 300MHz Intel Pentium or equivalent AMD 64 processor | 256MB minimum with at least 100MB exclusively for OfficeScan 512MB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Microsoft Internet Explorer 7.0, 8.0, or 9.0 if performing web setup Simple File Sharing disabled Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Professional | SP2/SP3 | | | | |
| | | Professional for Embedded Systems | SP2/SP3 | | | | |
| | | Tablet PC | SP2/SP3 | | | | |
| | 64-bit | Professional | SP1/SP2 | AMD 64 processor Intel 64 processor | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows Server 2003

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|--|--------|------------|--------------|------------------------------------|--|----------------------|--|
| Windows Server 2003 | 32-bit | Standard | SP1/SP2 | 300MHz Intel Pentium or equivalent | 256MB minimum with at least 100MB exclusively for OfficeScan | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Microsoft Internet Explorer 7.0, 8.0, or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Enterprise | SP1/SP2 | | | | |
| | | Datacenter | SP1/SP2 | | | | |
| | | Web | SP1/SP2 | | | | |
| Windows Server 2003 R2 | 32-bit | Standard | SP1/SP2 | AMD 64 processor | 512MB recommended | | |
| | | Enterprise | SP1/SP2 | | | | |
| | | Datacenter | SP1/SP2 | | | | |
| Windows Storage Server 2003 | 32-bit | Basic | SP1/SP2 | | | | |
| | | Standard | SP1/SP2 | | | | |
| | | Enterprise | SP1/SP2 | | | | |
| | | Workgroup | SP1/SP2 | | | | |
| Windows Storage Server 2003 R2 | 32-bit | Basic | SP1/SP2 | | | | |
| | | Standard | SP1/SP2 | | | | |
| | | Enterprise | SP1/SP2 | | | | |
| | | Workgroup | SP1/SP2 | | | | |
| Windows Compute Cluster Server 2003 (Active/Passive) | | N/A | None | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|--|---------|------------|--------------|--------------------|---|----------------------|--|
| Windows Server 2003 | 64-bit | Standard | SP1/SP2 | AMD 64 processor | 256MB minimum with at least 100MB exclusively for OfficeScan 512MB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Microsoft Internet Explorer 7.0, 8.0, or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Enterprise | SP1/SP2 | | | | |
| | | Datacenter | SP1/SP2 | | | | |
| | | Web | SP1/SP2 | Intel 64 processor | | | |
| Standard | SP1/SP2 | | | | | | |
| Windows Server 2003 R2 | | Enterprise | SP1/SP2 | | | | |
| | | Datacenter | SP1/SP2 | | | | |
| Windows Storage Server 2003 | | Basic | SP1/SP2 | | | | |
| | | Standard | SP1/SP2 | | | | |
| | | Enterprise | SP1/SP2 | | | | |
| | | Workgroup | SP1/SP2 | | | | |
| Windows Storage Server 2003 R2 | | Basic | SP1/SP2 | | | | |
| | | Standard | SP1/SP2 | | | | |
| | | Enterprise | SP1/SP2 | | | | |
| | | Workgroup | SP1/SP2 | | | | |
| Windows Compute Cluster Server 2003 (Active/Passive) | | N/A | None | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows Vista

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|------------------|-------------------|-------------------------------|--------------|----------------------------------|--|----------------------|--|
| Windows Vista | 32-bit/ 64-bit | Business | SP1/SP2 | 1GHz Intel Pentium or equivalent | 1GB minimum with at least 100MB exclusively for OfficeScan | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Windows Internet Explorer 7.0, 8.0, or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Enterprise | SP1/SP2 | | | | |
| | | Ultimate | SP1/SP2 | AMD 64 processor | 1.5GB recommended | | |
| | | Home Premium | SP1/SP2 | Intel 64 processor | | | |
| | | Home Basic | SP1/SP2 | | | | |
| | | Business for Embedded Systems | SP1/SP2 | | | | |
| | | Ultimate for Embedded Systems | SP1/SP2 | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows Server 2008

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|--|--------|-------------|--------------|--|---|----------------------|--|
| Windows Server 2008 | 32-bit | Standard | SP1/SP2 | Minimum 1GHz Intel Pentium or equivalent, 2GHz recommended | 512MB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Windows Internet Explorer 7.0, 8.0, or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Enterprise | SP1/SP2 | | | | |
| | | Datacenter | SP1/SP2 | | | | |
| | | Web | SP1/SP2 | | | | |
| | | Server Core | SP1/SP2 | | | | |
| Windows Storage Server 2008 | | Basic | None | Intel 64 processor | | | |
| Windows HPC Server 2008 | | N/A | None | | | | |
| Windows Server 2008 Failover Clusters (Active/Passive) | | N/A | None | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|------------------------|--------|-------------|-------------------|--|---|----------------------|--|
| Windows Server 2008 | 64-bit | Standard | SP1/SP2 | Minimum 1.4GHz Intel Pentium or equivalent, 2GHz recommended | 512MB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Windows Internet Explorer 7.0, 8.0, or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Enterprise | SP1/SP2 | | | | |
| | | Datacenter | SP1/SP2 | | | | |
| | | Web | SP1/SP2 | | | | |
| | | Server Core | SP1/SP2 | AMD 64 processor | | | |
| Windows Server 2008 R2 | 64-bit | Standard | With/With-out SP1 | Intel 64 processor | | | Monitor that supports 1024 x 768 resolution at 256 colors Windows Internet Explorer 8.0 or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Enterprise | With/With-out SP1 | | | | |
| | | Datacenter | With/With-out SP1 | | | | |
| | | Web | With/With-out SP1 | | | | |
| | | Server Core | With/With-out SP1 | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|--|--------|------------|--------------|--|---|----------------------|--|
| Windows Storage Server 2008 | 64-bit | Basic | None | Minimum 1.4GHz Intel Pentium or equivalent, 2GHz recommended | 512MB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Windows Internet Explorer 7.0, 8.0, or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Standard | None | | | | |
| | | Enterprise | None | | | | |
| | | Workgroup | None | | | | |
| Windows Storage Server 2008 R2 | | Basic | None | AMD 64 processor | | | |
| | | Standard | None | Intel 64 processor | | | |
| | | Enterprise | None | | | | |
| | | Workgroup | None | | | | |
| Windows HPC Server 2008 | | N/A | None | | | | |
| Windows Server 2008/2008 R2 Failover Clusters (Active/Passive) | | N/A | None | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows HPC Server 2008 R2

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|----------------------------|--------|---------|--------------|--|---|----------------------|--|
| Windows HPC Server 2008 R2 | 64-bit | N/A | None | Minimum 1.4GHz Intel Pentium or equivalent, 2GHz recommended AMD 64 processor Intel 64 processor | 512MB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Windows Internet Explorer 7.0, 8.0, or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows MultiPoint Server 2010

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|--------------------------------|--------|---------|--------------|--|---|----------------------|--|
| Windows MultiPoint Server 2010 | 64-bit | N/A | N/A | Minimum 1.4GHz Intel Pentium or equivalent, 2GHz recommended AMD 64 processor Intel 64 processor | 512MB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Windows Internet Explorer 7.0, 8.0, or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows MultiPoint Server 2011

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|--------------------------------|--------|----------|--------------|--|---|----------------------|--|
| Windows MultiPoint Server 2011 | 64-bit | Standard | None | Minimum 1.4GHz Intel Pentium or equivalent, 2GHz recommended AMD 64 processor Intel 64 processor | 512MB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors |
| | | Premium | None | | | | Windows Internet Explorer 7.0, 8.0, or 9.0 if performing web setup |
| | | | | | | | Enable Remote Registry |
| | | | | | | | Allow printer/file sharing in the Windows firewall (if enabled) |
| | | | | | | | Enable default local admin |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows 7

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|------------------|--------|-----------------------------------|--------------------------|---|--|----------------------|---|
| Windows 7 | 32-bit | Home Basic | With/ With-out SP1 | Minimum 1GHz Intel Pentium or equivalent, 2GHz recommende d | 1GB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Windows Internet Explorer 8.0 or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Home Premium | With/ With-out SP1 | | | | |
| | | Ultimate | With/ With-out SP1 | | | | |
| | | Professional | With/ With-out SP1 | AMD 64 processor | | | |
| | | Enterprise | With/ With-out SP1 | Intel 64 processor | | | |
| | | Professional for Embedded Systems | With/ With-out SP1 | | | | |
| | | Ultimate for Embedded Systems | With/ With-out SP1 | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|------------------|--------|-----------------------------------|--------------------------|--|--|----------------------|---|
| Windows 7 | 64-bit | Home Basic | With/ With-out SP1 | Minimum 2GHz Intel Pentium or equivalent AMD 64 processor | 1.5GB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Windows Internet Explorer 8.0 or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Home Premium | With/ With-out SP1 | | | | |
| | | Ultimate | With/ With-out SP1 | | | | |
| | | Professional | With/ With-out SP1 | Intel 64 processor | | | |
| | | Enterprise | With/ With-out SP1 | | | | |
| | | Professional for Embedded Systems | With/ With-out SP1 | | | | |
| | | Ultimate for Embedded Systems | With/ With-out SP1 | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows Embedded POSReady 2009

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|--------------------------------|--------|---------|--------------|--|---|----------------------|--|
| Windows Embedded POSReady 2009 | 32-bit | N/A | None | Minimum 300MHz Intel Pentium or equivalent | 256MB minimum with at least 100MB exclusively for OfficeScan 512MB recommended | 350MB minimum | Windows Internet Explorer 6.0, 7.0, 8.0, or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows Embedded POSReady 7

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|-----------------------------|--------|---------|--------------|--|---|----------------------|---|
| Windows Embedded POSReady 7 | 32-bit | N/A | None | Minimum 1GHz Intel Pentium or equivalent, 2GHz recommended AMD 64 processor Intel 64 processor | 1GB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Windows Internet Explorer 8.0 or 9.0 if performing web setup Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | 64-bit | N/A | None | Minimum 2GHz Intel Pentium or equivalent AMD 64 processor Intel 64 processor | 1.5GB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows Server 2012

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|---------------------|--------|-------------|--------------|--|---|----------------------|---|
| Windows Server 2012 | 64-bit | Standard | None | Minimum 1.4GHz Intel Pentium or equivalent, 2GHz recommended AMD 64 processor Intel 64 processor | 512MB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors |
| | | Datacenter | None | | | | Windows Internet Explorer 10.0 if performing web setup *Windows UI is not supported |
| | | Server Core | None | | | | Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |



OfficeScan Client – Fresh Installations on Windows Storage Server 2012

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|-----------------------------|--------|-----------|--------------|--|---|----------------------|---|
| Windows Storage Server 2012 | 64-bit | Workgroup | None | Minimum 1.4GHz Intel Pentium or equivalent, 2GHz recommended AMD 64 processor Intel 64 processor | 512MB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Windows Internet Explorer 10.0 if performing web setup *Windows UI is not supported Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Standard | None | | | | |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows MultiPoint Server 2012

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|--------------------------------|--------|----------|--------------|--|---|----------------------|---|
| Windows MultiPoint Server 2012 | 64-bit | Standard | None | Minimum 1.4GHz Intel Pentium or equivalent, 2GHz recommended AMD 64 processor Intel 64 processor | 512MB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Windows Internet Explorer 10.0 if performing web setup *Windows UI is not supported Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Premium | None | | | | |



OfficeScan Client – Fresh Installations on Windows Server 2012 Failover Clusters

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|---------------------------------------|--------|---------|--------------|--|---|----------------------|---|
| Windows Server 2012 Failover Clusters | 64-bit | N/A | None | Minimum 1.4GHz Intel Pentium or equivalent, 2GHz recommended AMD 64 processor Intel 64 processor | 512MB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Monitor that supports 1024 x 768 resolution at 256 colors Windows Internet Explorer 10.0 if performing web setup *Windows UI is not supported Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



OfficeScan Client – Fresh Installations on Windows 8

| Operating System | | Edition | Service Pack | Processor | RAM | Available Disk Space | Others |
|------------------|--------|------------|--------------|---|--|----------------------|--|
| Windows 8 | 32-bit | (Standard) | None | Minimum 1GHz Intel Pentium or equivalent, 2GHz recommended AMD 64 processor Intel 64 processor | 1GB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Windows Internet Explorer 10.0 if performing web setup *Windows UI is not supported Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Pro | None | | | | |
| | | Enterprise | None | | | | |
| Windows 8 | 64-bit | (Standard) | None | Minimum 2GHz Intel Pentium or equivalent AMD 64 processor Intel 64 processor | 1.5GB minimum with at least 100MB exclusively for OfficeScan 2GB recommended | 350MB minimum | Windows Internet Explorer 10.0 if performing web setup *Windows UI is not supported Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin |
| | | Pro | None | | | | |
| | | Enterprise | None | | | | |

OfficeScan Server – Upgrading From Version 10.x

OfficeScan 10.x includes the following versions:

- 10.6 or above
- 10.5 Patch 1 or above
- 10.5
- 10.0 Service Pack 1 or above
- 10.0

All operating systems supported in OfficeScan 10.x, except Windows 2000, are supported in this version.

Before upgrading, perform the following tasks:

1. Apply Service Pack 1 or 2 on Windows Server 2008.
2. To speed up the upgrade process, unload the OfficeScan client before upgrading an OfficeScan server on Windows Server 2008 (Standard edition, 32-bit).
3. Check if the server computer needs additional resources to run this OfficeScan version. Refer to the following table for details.

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



| Resource | OfficeScan 10/10 SP1 Server Requirement | OfficeScan 10.5/10.5 Patch 1/ 10.6 Server Requirement |
|--|--|--|
| Processor | 800MHz, 1GHz, or 1.4GHz Intel Pentium or equivalent, depending on the Windows Server edition and processor architecture. | 1.86GHz Intel Core2Duo |
| RAM | 512MB to 1GB, depending on whether the integrated Smart Protection Server is installed | 2GB |
| Disk space | <ul style="list-style-type: none"> • 2.8GB if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco NAC, and integrated Smart Protection Server locally • 3.2GB if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely | <ul style="list-style-type: none"> • 3.1GB if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco NAC, and integrated Smart Protection Server locally • 3.5GB if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely |
| Browser (for the web console and web install page) | Microsoft Internet Explorer 6.0 or later | Microsoft Internet Explorer 7.0 or later |

OfficeScan Client – Upgrading From Version 10.x

OfficeScan 10.x includes the following versions:

- 10.6 or above
- 10.5 Patch 1 or above
- 10.5
- 10.0 Service Pack 1 or above
- 10.0

All operating systems supported in OfficeScan 10.x, except Windows 2000, are supported in this version.

Keep your OfficeScan 10.x servers if you have clients running Windows 2000 and you want to continue managing these clients. For details on managing these clients, see the topic *Unsupported Operating Systems* in the Installation and Upgrade Guide.

Before upgrading clients running Windows XP Professional, Vista, 7, Server 2003, and Server 2008, apply the required Microsoft service packs.

- Windows XP Professional (32-bit) Service Pack 2 or 3
- Windows XP Professional (64-bit) Service Pack 1 or 2
- Windows Server 2003 Service Pack 2
- Windows Server 2008 Service Pack 1 or 2
- Windows Vista Service Pack 1 or 2

OfficeScan Server – Upgrading From Version 8.0 SP1

All operating systems supported in OfficeScan 8.0 SP1, except Windows 2000, are supported in this version.

Before upgrading, perform the following tasks:

1. Apply Service Pack 1 or 2 on Windows Server 2003.
2. Check if the server computer needs additional resources to run this OfficeScan version. Refer to the following table for details.

| Resource | OfficeScan 8.0 SP1 Server Requirement | OfficeScan 10.6 Server Requirement |
|--|--|--|
| Processor | 800MHz Intel Pentium or equivalent | 1.86GHz Intel Core2Duo |
| RAM | 512MB | 2GB |
| Disk space | 1GB | <ul style="list-style-type: none"> • 3.1GB if installing the OfficeScan server, OfficeScan client, Policy Server for Cisco NAC, and integrated Smart Protection Server locally • 3.5GB if installing the OfficeScan server, OfficeScan client, and integrated Smart Protection Server remotely |
| Browser (for the web console and web install page) | Microsoft Internet Explorer 5.0 or later | Microsoft Internet Explorer 7.0 or later |

OfficeScan Client – Upgrading From Version 8.0 SP1

All operating systems supported in OfficeScan 8.0 SP1, except Windows 2000, are supported in this version.

Keep your OfficeScan 8.0 SP1 servers if you have clients running Windows 2000 and you want to continue managing these clients. For details on managing these clients, see the topic *Unsupported Operating Systems* in the Installation and Upgrade Guide.

Before upgrading clients running Windows XP Professional, Server 2003, Server 2008, and Vista, perform the following tasks:

1. Apply the required Microsoft service packs.
 - Windows XP Professional (32-bit) Service Pack 2 or 3
 - Windows XP Professional (64-bit) Service Pack 2
 - Windows Server 2003 Service Pack 1 or 2
 - Windows Server 2008 Service Pack 1 or 2
 - Windows Vista Service Pack 1 or 2
2. Check if the client computer needs additional resources to run this OfficeScan version. Refer to the following table for details.

Trend Micro™ OfficeScan™ 10.6 SP2 System Requirements



| Resource | OfficeScan 8.0 SP1 Client Requirement | OfficeScan 10.6 Client Requirement |
|------------|---|---|
| Disk space | 200MB (Windows XP/Vista/Server 2003/Storage Server 2003/Server 2003 R2) | 350MB |
| RAM | 1GB (Windows Server 2008/Storage Server 2008/Vista) | 1.5GB (Windows Vista) 2GB (Windows Server 2008 /Server 2008 R2/Storage Server 2008/Storage Server 2008 R2) |
| Monitor | Monitor that supports 800 x 600 resolution at 256 colors | Monitor that supports 1024 x 768 resolution at 256 colors |

OfficeScan Server – Web Console

| Web Console Requirements | |
|--------------------------|---|
| Processor: | 300MHz Intel Pentium processor or equivalent |
| RAM: | 128MB minimum |
| Available disk space: | 30MB minimum |
| Others: | Monitor that supports 1024 x 768 resolution at 256 colors or higher |
| Browser: | Microsoft Internet Explorer™ 7.0 , 8.0 , 9.0, or 10.0 Note: Windows UI is not supported. |

OfficeScan – Virtualization Support

| VMware™ | Citrix™ | Microsoft™ |
|--|---------------------------|---|
| ESX/ESXi Server (Server Edition) 3.5, 4.0, 4.1, 5.0, 5.1 | XenDesktop 5.0, 5.5, 5.6 | Virtual Server 2005 R2 with SP1 |
| Server (Server Edition) 1.0.3, 2 | XenServer 5.5, 5.6, 6.0 | Windows Server 2008 64-bit Hyper-V |
| Workstation and Workstation ACE Edition 7.0, 7.1, 8.0, 9.0 | XenApp 4.5, 5.0, 6.0, 6.5 | Windows Server 2008 R2 64-bit Hyper-V |
| vCenter™ 4, 4.1, 5.0, 5.1 | XenClient 2.1 | Hyper-V Server 2008 R2 64-bit |
| View™ 4.5, 5.0, 5.1 | VDI-in-a-Box 5.1 | Windows 8 Pro/Enterprise 64-bit Hyper-V |
| | | Windows Server 2012 64-bit Hyper-V |

Note: OfficeScan only provides support for virtual platforms that are supported by the installed operating system.

OfficeScan Client – Update Agent

| Update Agent Requirements | |
|---------------------------|--|
| Processor: | 800MHz Intel Pentium processor or equivalent |
| RAM: | 512MB (1GB for Update Agents running Windows Vista) 1GB or more recommended (1.5GB or more for Update Agents running Windows Vista) |
| Available disk space: | At least 700MB At least 1GB if the Update Agent will deploy hot fixes and the OfficeScan client program |
| Others: | Monitor that supports 800 x 600 resolution at 256 colors or higher |



OfficeScan Client – Compatible Third-Party Products

| Compatible Third-Party Products | |
|---|--|
| Microsoft Office XP, 2003, 2007, and 2010 Microsoft SQL Server™ 2005 and 2008 Terminal Services on Windows Server 2003 and 2008 Windows Server 2003/2003 R2 Clusters Windows Server 2008/2008 R2 Failover Clusters Windows Server 2012 Failover Clusters VMware View 4.5 and 5.0 Citrix XenApp 4.5, 5.0, 6.0, and 6.5 Citrix XenDesktop 5.0 and 5.5 | POP3 Mail Scan supports the following email programs: <ul style="list-style-type: none"> • Becky! Internet Mail 2.0 • Eudora™ 6.2 • Microsoft Outlook Express 6.0 • Microsoft Office Outlook 2000, 2002, 2003, 2007, and 2010 • Mozilla Thunderbird™ 1.5, 2.0, and 5.0 • Windows Mail (for Windows Vista only) • Foxmail 5.0, 6.0 |
| Outlook Mail Scan supports the following Microsoft Office Outlook™ versions: 2002, 2003, 2007, 2010 | |



TREND MICRO INCORPORATED

10101 North De Anza Blvd. Cupertino, CA., 95014, USA

Tel:+1(408)257-1500/1-800 228-5651 Fax:+1(408)257-2003 info@trendmicro.com

www.trendmicro.com

Item Code: OSEM105743/121024