



3.2 TREND MICRO[™] Smart Protection Server

Administrator's Guide

Security Made Smarter



Endpoint Security



Messaging Security



Protected Cloud



Web Security

Trend Micro Incorporated reserves the right to make changes to this document and to the product described herein without notice. Before installing and using the product, review the readme files, release notes, and/or the latest version of the applicable documentation, which are available from the Trend Micro website at:

<http://docs.trendmicro.com/en-us/enterprise/smart-protection-server.aspx>

Trend Micro, the Trend Micro t-ball logo, TrendLabs, OfficeScan, and Smart Protection Network are trademarks or registered trademarks of Trend Micro Incorporated. All other product or company names may be trademarks or registered trademarks of their owners.

Copyright © 2017. Trend Micro Incorporated. All rights reserved.

Document Part No.: APEM37756/170322

Release Date: April 2017

Protected by U.S. Patent No.: Patents pending.

This documentation introduces the main features of the product and/or provides installation instructions for a production environment. Read through the documentation before installing or using the product.

Detailed information about how to use specific features within the product may be available at the Trend Micro Online Help Center and/or the Trend Micro Knowledge Base.

Trend Micro always seeks to improve its documentation. If you have questions, comments, or suggestions about this or any Trend Micro document, please contact us at docs@trendmicro.com.

Evaluate this documentation on the following site:

<http://www.trendmicro.com/download/documentation/rating.asp>

Table of Contents

Preface

Preface	v
About Trend Micro	vi
Product Documentation	vi
Audience	vi
Document Conventions	vii

Chapter 1: Introduction

How Does Smart Protection Server Work?	1-2
The Need for a New Solution	1-2
Smart Protection Network Solutions	1-3
New in this Release	1-7
Key Features and Benefits	1-8
Trend Micro Smart Protection Network	1-9
File Reputation Services	1-9
Web Reputation Services	1-9
Smart Feedback	1-10

Chapter 2: Using Smart Protection Server

Initial Configuration	2-2
Using the Product Console	2-6
Accessing the Product Console	2-8
Using Smart Protection	2-8
Using Reputation Services	2-8
Configuring User-Defined URLs	2-10
Configuring Suspicious Objects	2-12
Enabling Smart Feedback	2-14

Updates	2-15
Configuring Manual Updates	2-16
Configuring Scheduled Updates	2-16
Pattern File Updates	2-16
Program File Updates	2-17
Configuring an Update Source	2-20
Administrative Tasks	2-21
SNMP Service	2-21
Proxy Settings	2-26
Support	2-27
Changing the Product Console Password	2-28
Importing Certificates	2-29
Integration with Trend Micro Products and Services	2-30

Chapter 3: Monitoring Smart Protection Server

Using the Summary Screen	3-2
Tabs	3-3
Widgets	3-6
Logs	3-13
Blocked URLs	3-13
Update Log	3-14
Reputation Service Log	3-15
Log Maintenance	3-15
Notifications	3-16
Email Notifications	3-16
SNMP Trap Notifications	3-19

Chapter 4: Integrating with Trend Micro Control Manager

Trend Micro Control Manager	4-2
Supported Control Manager Versions	4-2
Control Manager Integration in this Smart Protection Server Release ..	4-3

Chapter 5: Technical Support

Troubleshooting Resources	5-2
Using the Support Portal	5-2
Threat Encyclopedia	5-2
Contacting Trend Micro	5-3
Speeding Up the Support Call	5-4
Sending Suspicious Content to Trend Micro	5-4
Email Reputation Services	5-4
File Reputation Services	5-5
Web Reputation Services	5-5
Other Resources	5-5
Download Center	5-5
Documentation Feedback	5-6

Appendix A: Command Line Interface (CLI) Commands

Index

Index	IN-1
-------------	------

Preface

Preface

Welcome to the Smart Protection ServerTM Administrator's Guide. This document contains information about product settings.

Topics include:

- *About Trend MicroTM on page vi*
- *Product Documentation on page vi*
- *Audience on page vi*
- *Document Conventions on page vii*

About Trend Micro™

Trend Micro provides virus protection, antispam, and content-filtering security software and services. Trend Micro helps customers worldwide stop malicious code from harming their computers.

Product Documentation

The Smart Protection Server documentation consists of the following:

DOCUMENTATION	DESCRIPTION
Installation and Upgrade Guide	Helps you plan for installation, upgrades, and deployment.
Administrator's Guide	Helps you configure all product settings.
Online Help	Provides detailed instructions on each field and how to configure all features through the user interface.
Readme file	Contains late-breaking product information that might not be found in the other documentation. Topics include a description of features, installation tips, known issues, and product release history.

The documentation is available at:

<http://downloadcenter.trendmicro.com/>

Audience

The Smart Protection Server documentation is written for IT managers and administrators. The documentation assumes that the reader has in-depth knowledge of computer networks.

The documentation does not assume the reader has any knowledge of virus/malware prevention or spam prevention technology.

Document Conventions

The Smart Protection Server User's Guide uses the following conventions.

TABLE 1. Document Conventions

CONVENTION	DESCRIPTION
ALL CAPITALS	Acronyms, abbreviations, and names of certain commands and keys on the keyboard
Bold	Menus and menu commands, command buttons, tabs, and options
Navigation > Path	The navigation path to reach a particular screen For example, File > Save means, click File and then click Save on the interface
 Note	Configuration notes
 Tip	Recommendations or suggestions
 WARNING!	Critical actions and configuration options

Chapter 1

Introduction

This chapter introduces and describes Trend MicroTM Smart Protection ServerTM features.

Topics include:

- *How Does Smart Protection Server Work? on page 1-2*
- *New in this Release on page 1-7*
- *Key Features and Benefits on page 1-8*
- *Trend Micro Smart Protection Network on page 1-9*

How Does Smart Protection Server Work?

Smart Protection Server is a next-generation, in-the-cloud based, advanced protection solution. At the core of this solution is an advanced scanning architecture that leverages malware prevention signatures that are stored in-the-cloud.

This solution leverages file reputation and web reputation technology to detect security risks. The technology works by off loading a large number of malware prevention signatures and lists that were previously stored on endpoints to Smart Protection Server.

Using this approach, the system and network impact of the ever-increasing volume of signature updates to endpoint is significantly reduced.

The Need for a New Solution

In the current approach to file-based threat handling, patterns (or definitions) required to protect an endpoint are, for the most part, delivered on a scheduled basis. Patterns are delivered in batches from Trend Micro to endpoints. When a new update is received, the virus/malware prevention software on the endpoint reloads this batch of pattern definitions for new virus/malware risks into memory. If a new virus/malware risk emerges, this pattern once again needs to be updated partially or fully and reloaded on the endpoint to ensure continued protection.

Over time, there has been a significant increase in the volume of unique emerging threats. The increase in the volume of threats is projected to grow at a near-exponential rate over the coming years. This amounts to a growth rate that far outnumbers the volume of currently known security risks. Going forward, the volume of security risks represents a new type of security risk. The volume of security risks can impact server and workstation performance, network bandwidth usage, and, in general, the overall time it takes to deliver quality protection - or "time to protect".

A new approach to handling the volume of threats has been pioneered by Trend Micro that aims to make Trend Micro customers immune to the threat of virus/malware volume. The technology and architecture used in this pioneering effort leverages technology that off load the storage of virus/malware signatures and patterns to the cloud. By off loading the storage of these virus/malware signatures to the cloud, Trend

Micro is able to provide better protection to customers against the future volume of emerging security risks.

Smart Protection Network Solutions

The cloud-based query process makes use of two network-based technologies:

- Trend Micro Smart Protection Network™: A globally scaled, Internet-based, infrastructure that provides services to users who do not have immediate access to their corporate network.
- Smart Protection Server: Smart Protection Server exists in the local network. This is made available for users who have access to their local corporate network. These servers are designed to localize operations to the corporate network to optimize efficiency.



Note

Install multiple Smart Protection Server computers to ensure the continuity of protection in the event that connection to a Smart Protection Server is unavailable.

These two network-based solutions host the majority of the virus/malware pattern definitions and web reputation scores. Trend Micro Smart Protection Network and Smart Protection Server make these definitions available to other endpoints on the network for verifying potential threats. Queries are only sent to Smart Protection Servers if the risk of the file or URL cannot be determined by the endpoint.

Endpoints leverage file reputation and web reputation technology to perform queries against Smart Protection Server computers as part of their regular system protection activities. In this solution, agents send identification information, determined by Trend Micro technology, to Smart Protection Server computers for queries. Agents never send the entire file when using file reputation technology. The risk of the file is determined using identification information.

Pattern Files

Smart protection pattern files are used for File Reputation Services and Web Reputation Services. Trend Micro releases these pattern files through the Trend Micro ActiveUpdate server.

The following are the pattern files:

TABLE 1-1. Smart Protection Server Pattern Files

REPUTATION SERVICE	PATTERN	DETAILS
File Reputation Services	Smart Scan Pattern	<p>The cloud-based query process makes use of the smart scan pattern file combined with a real-time cloud query system. The cloud query system verifies files, URLs, and other components against a Smart Protection Server during the verification process. Smart Protection Server computers use several algorithms for an efficient process that uses minimal network bandwidth usage.</p> <p>The Smart Scan Pattern is automatically updated hourly.</p>
Web Reputation Services	Web Blocking Pattern	<p>Products that use Web Reputation Services (such as OfficeScan and Deep Security) verify a website's reputation against the Web Blocking Pattern by sending web reputation queries to Smart Protection Server. These products correlate the reputation data received from the smart protection source with the web reputation policy enforced on the endpoint. Depending on the policy, they will either allow or block access to the site.</p> <p> Note For a list of products that use Web Reputation Services, see: <i>Integration with Trend Micro Products and Services</i> on page 2-30</p>

Pattern Update Process

Pattern updates are a response to security threats. Smart Protection Network and Smart Protection Server computers download the Smart Scan Pattern file from ActiveUpdate servers. Trend Micro products that support Smart Protection Server computers download Smart Scan Agent Patterns from ActiveUpdate servers.

Endpoints within your intranet download Smart Scan Agent Pattern files from Trend Micro products that support Smart Protection Server computers. External endpoints are endpoints that are outside of the intranet and unable to connect to Smart Protection Server computers or Trend Micro products that support Smart Protection Server computers.




FIGURE 1-1. Pattern update process

The Query Process

Endpoints that are currently in your intranet use Smart Protection Server computers for queries. Endpoints that are currently not in your intranet can connect to Trend Micro Smart Protection Network for queries.

While a network connection is required for utilizing Smart Protection Server computers, endpoints without access to network connection still benefit from Trend Micro technology. Smart Scan Agent Pattern and scan technology that reside on endpoints protect endpoints that do not have access to a network connection.

Agents installed on endpoints first perform scanning on the endpoint. If the agent cannot determine the risk of the file or URL, the agent verifies the risk by sending a query to a Smart Protection Server.

TABLE 1-2. Protection behaviors based on access to intranet

LOCATION	PATTERN FILE AND QUERY BEHAVIOR
Access to intranet	<ul style="list-style-type: none"> • Pattern Files: Endpoints download the Smart Scan Agent Pattern file from Trend Micro products that support Smart Protection Server computers. • Queries: Endpoints connect to Smart Protection Server for queries.
Without access to intranet	<ul style="list-style-type: none"> • Pattern Files: Endpoints do not download the latest Smart Scan Agent Pattern file unless connection to a Trend Micro product that support Smart Protection Server computers is available. • Queries: Endpoints scan files using local resources such as the Smart Scan Agent Pattern file.

Advanced filtering technology enables the agent to "cache" the query result. This improves scan performance and eliminates the need to send the same query to Smart Protection Server computers more than once.

An agent that cannot verify a file's risk locally and cannot connect to any Smart Protection Server computers after several attempts will flag the file for verification and temporarily allow access to the file. When connection to a Smart Protection Server is restored, all the files that have been flagged are re-scanned. Then, the appropriate scan action is performed on files that have been confirmed as a threat to your network.



Tip

Install multiple Smart Protection Server computers to ensure the continuity of protection in the event that connection to a Smart Protection Server is unavailable.




FIGURE 1-2. Query process

New in this Release

Smart Protection Server includes the following new features and enhancements:

TABLE 1-3. New for Version 3.2

FEATURE	DESCRIPTION
CentOS 7.3	Smart Protection Server has updated the operating system to CentOS 7.3.

Key Features and Benefits

Smart Protection Server provides the following features and benefits:

- File Reputation Technology
 - The corporate network will be better positioned to handle the threat of volume.
 - The overall "time to protect" against emerging threats is greatly decreased.
 - The kernel memory consumption on workstations is significantly lowered and increases minimally over time.
 - Streamlines administration and simplifies management. The bulk of pattern definition updates only need to be delivered to one server instead of many workstations. This reduces the bulk of the impact of a pattern update on many workstations.
 - Protects against web-based and blended attacks.
 - Stops viruses/malware, Trojans, worms, plus new variants of these security risks.
 - Detects and removes spyware/grayware (including hidden rootkits).
- Web Reputation Technology
 - Protects against web-based and blended attacks.
 - Privacy sensitive customers do not need to worry about revealing confidential information through Web Reputation queries to the Smart Protection Network.
 - Smart Protection Server response time to queries is reduced when compared to queries to Smart Protection Network.
 - Installing a Smart Protection Server in your network reduces the gateway bandwidth load.

Trend Micro Smart Protection Network

The Trend Micro™ Smart Protection Network™ is a next-generation cloud-client content security infrastructure designed to protect customers from security risks and web threats. It powers both local and hosted solutions to protect users whether they are on the network, at home, or on the go, using light-weight agents to access its unique in-the-cloud correlation of email, web and file reputation technologies, and threat databases. Customers' protection is automatically updated and strengthened as more products, services and users access the network, creating a real-time neighborhood watch protection service for its users.

File Reputation Services

File Reputation Services checks the reputation of each file against an extensive in-the-cloud database. Since the malware information is stored in the cloud, it is available instantly to all users. High performance content delivery networks and local caching servers ensure minimum latency during the checking process. The cloud-client architecture offers more immediate protection and eliminates the burden of pattern deployment besides significantly reducing the overall agent footprint.

Web Reputation Services

With one of the largest domain-reputation databases in the world, Trend Micro Web reputation technology tracks the credibility of web domains by assigning a reputation score based on factors such as a website's age, historical location changes and indications of suspicious activities discovered through malware behavior analysis. It will then continue to scan sites and block users from accessing infected ones. Web reputation features help ensure that the pages that users access are safe and free from web threats, such as malware, spyware, and phishing scams that are designed to trick users into providing personal information. To increase accuracy and reduce false positives, Trend Micro Web reputation technology assigns reputation scores to specific pages or links within sites instead of classifying or blocking entire sites, since often, only portions of legitimate sites are hacked and reputations can change dynamically over time.

Web reputation features help ensure that the web pages that users access are safe and free from web threats, such as malware, spyware, and phishing scams that are designed

to trick users into providing personal information. Web reputation blocks web pages based on their reputation ratings. When enabled, Web reputation helps deter users from accessing malicious URLs.

Smart Feedback

Trend Micro™ Smart Feedback provides continuous communication between Trend Micro products as well as the company's 24/7 threat research centers and technologies. Each new threat identified through a single customer's routine reputation check automatically updates all Trend Micro threat databases, blocking any subsequent customer encounters of a given threat. By continuously processing the threat intelligence gathered through its extensive global network of customers and partners, Trend Micro delivers automatic, real-time protection against the latest threats and provides "better together" security, much like an automated neighborhood watch that involves the community in protection of others. Because the threat information gathered is based on the reputation of the communication source, not on the content of the specific communication, the privacy of a customer's personal or business information is always protected.

Chapter 2

Using Smart Protection Server

This chapter provides Smart Protection Server configuration information.

Topics include:

- *Initial Configuration on page 2-2*
- *Using the Product Console on page 2-6*
- *Using Smart Protection on page 2-8*
- *Updates on page 2-15*
- *Administrative Tasks on page 2-21*
- *Changing the Product Console Password on page 2-28*
- *Importing Certificates on page 2-29*
- *Integration with Trend Micro Products and Services on page 2-30*

Initial Configuration

Perform the following tasks after installation.




Important

If you are migrating from Smart Protection Server 3.0 or 3.1, execute the Smart Protection Server Migration Tool (Migration.py) to transfer all of your settings to Smart Protection Server 3.2 before continuing.

Procedure

1. Log on to the web console.

The **Welcome** screen appears.



2. Click **Configure First Time Installation**.

The first time installation wizard appears.

3. Select the **Enable File Reputation Service** check box to use File reputation.

Configuration Wizard for first time installation

Step 1:File Reputation Service >>> Step 2 >>> Step 3 >>> Step 4

File Reputation Service

Enable File Reputation Service


Protocol	Server Address
HTTP, HTTPS	<code>http://</code> IPv4 addr <code>/tmcss</code> <code>http://[</code> IPv6 addr <code>]/tmcss</code> <code>http://localhost.localdomain/tmcss</code>
	<code>https://</code> IPv4 addr <code>/tmcss</code> <code>https://[</code> IPv6 addr <code>]/tmcss</code> <code>https://localhost.localdomain/tmcss</code>

< Back **Next >**

4. Click **Next**.

The Web Reputation Service screen appears.

5. Select the **Enable Web Reputation Service** check box to enable Web Reputation.



6. (Optional) The filter priority settings allow you to specify the filter order for URL queries.
7. Click **Next**.

The Smart Feedback screen appears.

Configuration Wizard for first time installationStep 1 >>> Step 2 >>> **Step 3:Smart Feedback** >>> Step 4

The Trend Micro Smart Protection Network is a next generation cloud-client content security infrastructure protection against the latest threats.


[Learn more](#)**Smart Feedback**

When enabled, Trend Micro Smart Feedback shares anonymous threat information with the Smart Protection Network, allowing Trend Micro to rapidly identify and address new threats. You can disable Smart Feedback anytime through this console.

 Enable Trend Micro Smart Feedback (recommended)Your industry (optional): [< Back](#)[Next >](#)

8. Select to use Smart Feedback to help Trend Micro provide faster solutions for new threats.
9. Click **Next**.

The Proxy Settings screen appears.



10. Specify proxy settings if your network uses a proxy server.
11. Click **Finish** to complete the initial configuration of Smart Protection Server.

The Summary screen of the web console displays.



Note

Smart Protection Server will automatically update pattern files after initial configuration.

Using the Product Console

The product console consists of the following elements:

- **Main menu:** Provides links to the **Summary**, **Smart Protection**, **Updates**, **Logs**, and **Administration** screens.

- **Work area:** View summary information and component status, configure settings, update components, and perform administrative tasks.

The image shows the Smart Protection Server interface. On the left, a vertical **Main menu** is displayed with the following items:

- Summary
- Smart Protection
- Updates
- Logs
- Administration

The **Work area** contains several sections:

- Real Time Status:** Displays File Reputation and Web Reputation data for the **localhost** service. It includes a heatmap of hosts and a list of counter status.
- Active Users for File Reputation:** A chart showing the number of users over time (03/23 to 03/29).
- HTTP Traffic Report for File Reputation:** A chart showing traffic (KB) over time (03/23 to 03/29).
- Top 10 Infected Computers for File Reputation:** A list of infected computers with their IP addresses and detection counts.

MENU	DESCRIPTION
Summary	Displays customized information about Smart Protection Server computers, traffic, and detections when you add widgets.
Smart Protection	Provides options for configuring reputation services, user-defined URLs, suspicious objects, and Smart Feedback.
Updates	Provides options for configuring scheduled updates, manual program updates, program package uploads, and the update source.
Logs	Provides options for querying logs and log maintenance.
Administration	Provides options to configure SNMP service, notifications, proxy settings, and collecting diagnostic information for troubleshooting.

Accessing the Product Console

After logging on to the web console, the initial screen displays the status summary for Smart Protection Server computers.

Procedure

1. Open a web browser and type the URL indicated on the initial CLI banner after installation.
2. Type `admin` for the user name and the password in the corresponding fields.
3. Click **Log on**.

Using Smart Protection

This version of Smart Protection Server includes File Reputation and Web Reputation Services.

Using Reputation Services

Enable Reputation Services from the product console to allow other Trend Micro products to use smart protection.

Enabling File Reputation Services

Enable File Reputation Services to support queries from endpoints.

Procedure

1. Go to **Smart Protection > Reputation Services**, and then go to the **File Reputation** tab.



2. Select the **Enable File Reputation Service** check box.
3. Click **Save**.

The Server Address can now be used for File Reputation queries by other Trend Micro products that support Smart Protection Server computers.

Enabling Web Reputation Services

Enable Web Reputation Services to support URL queries from endpoints. These are the options available on this screen.

- **Enable Web Reputation Service:** Select to support Web Reputation queries from endpoints.
- **Server Address:** Used by other Trend Micro products for Web Reputation queries.
- **Filter Priority:** Select to specify the priority when filtering URLs.

Procedure

1. Go to **Smart Protection > Reputation Services**, and then click the **Web Reputation** tab.
2. Select the **Enable Web Reputation Service** check box.

3. (Optional) Specify the priority of the user-defined approved and blocked URLs when filtering URLs. For example, if **user-defined blocked URLs** has first priority, then **user-defined approved URLs** will be second priority.



4. Click **Save**.

The Server Address can now be used for Web Reputation queries by other Trend Micro products that support Smart Protection Server.

Configuring User-Defined URLs


User-Defined URLs allows you to specify your own approved and/or blocked URLs. This is used for Web Reputation. These are the options available on this screen.

- **Search Rule:** Select to search for a string in the list of rules.
- **Test URL:** Select to search for the rules that the URL will trigger. The URL must start with `http://` or `https://`.

Procedure

1. Go to **Smart Protection > User-Defined URLs**.
2. Under **Search Criteria**, click **Add**.

The **Add rule** screen displays.



The screenshot shows the 'Add rule' configuration page for Trend Micro Smart Protection Server. The left sidebar has a 'Smart Protection' section with 'User-Defined URLs' selected. The main area has a 'Rule' section with a 'URL' dropdown set to 'http://'. The 'Target' section includes options for 'All clients' (selected) and 'Specify a range' (radio button unselected). The 'Action' section has 'Approve' (radio button selected) and 'Block' options. A 'Save' and 'Cancel' button are at the bottom.

3. Select the **Enable this rule** check box.
4. Select one of the following:
 - **URL**: to specify a URL and apply to all of the URL's subsites or only one page.
 - **URL with keyword**: to specify a string and use regular expressions.

Click **Test** to view the results of applying this rule to the most common 20 URLs and the previous day's top 100 URLs in the Web Access Log.

5. Select one of the following:

- **All clients:** to apply to all clients.
- **Specify a range:** to apply to a range of IP addresses, domain names, and computer names.

**Note**

This supports both IPv4 and IPv6 addresses.

6. Select **Approve** or **Block**.

7. Click **Save**.

Import User-Defined URLs

Use this screen to import user-defined URLs from another Smart Protection Server. These are the options available on this screen.

- **Browse:** Click to select a .csv file from your computer.
- **Upload:** Click to upload the selected .csv file.
- **Cancel:** Click to return to the previous screen.

Configuring Suspicious Objects

A suspicious object is a known malicious or potentially malicious IP address, domain, URL, or SHA-1 value found in submitted samples.

Smart Protection Server can subscribe to the following sources to synchronize suspicious objects:

TABLE 2-1. Smart Protection Server Suspicious Object Sources

SOURCE	SUSPICIOUS OBJECT TYPE	DESCRIPTION
Deep Discovery Analyzer • Virtual Analyzer	URL	<p>Virtual Analyzer is a cloud-based virtual environment designed for analyzing suspicious files. Sandbox images allow observation of file behavior in an environment that simulates endpoints on your network without any risk of compromising the network.</p> <p>Virtual Analyzer in managed products tracks and analyzes submitted samples. Virtual Analyzer flags suspicious objects based on their potential to expose systems to danger or loss.</p>
Control Manager Consolidated suspicious objects • Control Manager user-defined suspicious objects • Virtual Analyzer suspicious objects	URL	<p>Deep Discovery Analyzer sends a list of suspicious objects to Control Manager.</p> <p>Control Manager administrators can add objects they consider suspicious but are not currently in the list of Virtual Analyzer suspicious objects. User-defined suspicious objects have a higher priority than Virtual Analyzer suspicious objects.</p> <p>Control Manager consolidates suspicious objects and scan actions against the objects and then distributes them to Smart Protection Server.</p>

When subscribed, Smart Protection Server relays:

- Suspicious URL information to Trend Micro products (such as OfficeScan agents, ScanMail, and Deep Security) that send Web Reputation queries
- Actions against suspicious URLs to OfficeScan agents that send Web Reputation queries.

**Note**

For information on how Control Manager manages suspicious objects, see: http://docs.trendmicro.com/en-us/enterprise/control-manager-60-service-pack-3/whats_new_6sp3/suspicious_object_supported_products.aspx

Procedure

1. Go to **Smart Protection > Suspicious Objects**.
2. Type the FQDN or IP address of the Suspicious Objects **Source**.
3. Type the **API Key** obtained by the suspicious object source.
4. Optional: Click **Test connection** to verify that the server name, IP address, and API key are valid, and that the source is available.
5. Click **Subscribe**.
6. To immediately synchronize suspicious objects, select **Synchronize and enable suspicious objects** and then click **Sync Now**.

**Note**

The option is available only if Smart Protection Server successfully connects to the source.

7. Click **Save**.

Enabling Smart Feedback

Trend Micro Smart Feedback shares anonymous threat information with Trend Micro Smart Protection Network, allowing Trend Micro to rapidly identify and address new threats. You can disable Smart Feedback anytime through this console.

Procedure

1. Go to **Smart Protection > Smart Feedback**.

**Note**

Make sure that the Smart Protection Server has Internet connection before enabling Smart Feedback.

2. Select Enable Trend Micro Smart Feedback.

The screenshot shows the Trend Micro Smart Protection Server interface. The left sidebar is titled 'Smart Protection' and includes 'Reputation Services', 'User-Defined URLs', 'Suspicious Objects', and 'Smart Feedback' (which is selected and expanded, showing 'Updates', 'Logs', and 'Administration'). The main content area is titled 'Smart Feedback' and shows the 'Smart Protection > Smart Feedback' path. It features a 'TREND MICRO SMART PROTECTION NETWORK' logo and a brief description of the service. A checkbox labeled 'Enable Trend Micro Smart Feedback (recommended)' is checked, and a dropdown menu for 'Your industry (optional)' shows 'Not specified (DEFAULT SELECTION)'. At the bottom are 'Save' and 'Cancel' buttons.

3. Select your industry.**4. Click Save.**

Updates

The effectiveness of Smart Protection Server depends upon using the latest pattern files and components. Trend Micro releases new versions of the Smart Scan Pattern files hourly.

**Tip**

Trend Micro recommends updating components immediately after installation.

Configuring Manual Updates

To manually update patterns:

Procedure

1. Go to **Updates**.
2. Click **Pattern or Program** from the drop down menu.
3. Click **Update Now** or **Save and Update Now** to apply updates immediately.

Configuring Scheduled Updates

To perform scheduled updates:

Procedure

1. Go to **Updates**.
2. Click **Pattern or Program** from the drop down menu.
3. Specify the update schedule.
4. Click **Save**.

Pattern File Updates

Update pattern files to help ensure that the latest information is applied to queries. These are the options available on this screen:

- **Enable scheduled updates:** Select to configure automatic updates every hour or every 15 minutes.
- **Update Now:** Click to immediately update all pattern files.

Program File Updates

Update to the latest version of the product program to take advantage of product enhancements. These are the options available on this screen.


- **Operating System:** Select to update operating system components.
- **Smart Protection Server:** Select to update the product server program file.
- **Widget Components:** Select to update widgets.
- **Enable scheduled updates:** Select to update program files daily at a specified time or weekly.
- **Download only:** Select to download updates and receive a prompt to update program files.
- **Update automatically after download:** Select to apply all updates to the product after download regardless of whether a restart or reboot is required.
- **Do not automatically update programs that require a restart or reboot:** Select to download all updates and only install programs that do not require a restart or reboot.
- **Upload:** Click to upload and update a program file for Smart Protection Server.
- **Browse:** Click to locate a program package.
- **Save and Update Now:** Click to apply settings and perform an update immediately.

There are three ways to update the program file: scheduled updates, manual updates, and by uploading the component.

Enabling Scheduled Updates

Procedure

1. Go to **Updates > Program**.
2. Select **Enable scheduled updates** and select the update schedule.



The screenshot shows the 'Updates' section of the Smart Protection Server interface. The left sidebar has a 'Program' section selected. The main content area shows the 'Program Status' table with three items: Operating System, Smart Protection Server, and Widget Components, all at version 1000 and last updated on June 29, 2010, at 03:08:48 PM CST. Below the table is the 'Update Schedule' section, which includes a checkbox for 'Enable scheduled updates' and a dropdown for 'Frequency' (set to 'Weekly' on 'Tuesday') and 'Time' (set to 23:00). The 'Update Method' section contains three radio buttons: 'Download only' (unchecked), 'Update automatically after download' (checked), and 'Do not automatically update programs that require a restart or reboot' (unchecked). At the bottom is the 'Upload Component' section with a file input field, 'Browse...' button, and 'Upload' button. At the very bottom are 'Save', 'Cancel', and 'Save and Update Now' buttons.

3. Select one of the following update methods:

- **Download only:** Select this check box to download program files without installing them. A message appears on the web product console when program file updates are available for installation.
- **Update automatically after download:** Select this check box to automatically install program file updates once the updates have been downloaded.
 - **Do not automatically update programs that require a restart or reboot:** Select this check box to receive a prompt on the web product console if the update requires a restart or reboot. Program updates that do not require a restart or reboot will be installed automatically.

4. Click **Save**.

Performing Manual Updates

Procedure

1. Go to **Updates > Program**.
2. Select one of the following update methods:
 - **Download only:** Select this check box to download program files without installing them. A message appears on the web product console when program file updates are available for installation.
 - **Update automatically after download:** Select this check box to automatically install program file updates once the updates have been downloaded.
 - **Do not automatically update programs that require a restart or reboot:** Select this check box to receive a prompt on the web product console if the update requires a restart or reboot. Program updates that do not require a restart or reboot will be installed automatically.
3. Click **Save and Update Now**.

Uploading Files to Perform Manual Updates

Procedure

1. Go to **Updates > Program**.



Important

Make sure the Smart Protection Server is not performing an update before continuing. If you have to update the program or a component, disable scheduled component updates first before continuing.

2. Under **Upload Component**, click **Browse...** to locate the program file for manual program updates.

**Note**

Locate the program file that you downloaded from the Trend Micro website or obtained from Trend Micro.

3. Locate the file and click **Open**.
4. Click **Upload**.

**Note**

If you disabled scheduled scan to update the program or a component, enable it again after uploading and updating.

Available Program Files

Use this screen to update available program files. These are the options available on this screen.

- <Check boxes>: Select the check box for the available program to update.
- **Update Now**: Click to update selected program files.

Configuring an Update Source

Use this screen to specify the update source for File Reputation and Web Reputation. The default update source is the Trend Micro ActiveUpdate Server. These are the options available on this screen.

- **Trend Micro ActiveUpdate Server**: Select to download updates from Trend Micro ActiveUpdate Server.
- **Other update source**: Select to specify an update source such as Trend Micro Control Manager.

Procedure

1. Go to **Updates > Source** and select either the **File Reputation** tab or the **Web Reputation** tab.

2. Select **Trend Micro ActiveUpdate Server** or select **Other update source** and type a URL.
3. Click **Save**.

Administrative Tasks

Administrative tasks allow you to configure SNMP Service settings, notifications, proxy server settings, or download diagnostic information.

SNMP Service

Smart Protection Server supports SNMP to provide further flexibility in monitoring the product. Configure settings and download the Management Information Base (MIB) file from the **SNMP Service** screen. These are the options available on this screen.

- **Enable SNMP Service:** Select to use SNMP.
- **Community name:** Specify an SNMP community name.
- **Enable IP restriction:** Select to enable IP address restriction.



Classless Inter-Domain Routing (CIDR) is not supported for IP restriction. Prevent unauthorized access to the SNMP service by enabling IP address restriction.

- **IP address:** Specify an IP address for using the SNMP service to monitor Health Status.
- **Subnet Mask:** Specify a netmask to define the IP address range for using the SNMP service to monitor computer status.
- **Smart Protection Server MIB:** Click to download the Smart Protection Server MIB file.
- **Save:** Click to retain the settings.


- **Cancel:** Click to discard changes.

Configuring SNMP Service

Configure SNMP Service settings to allow SNMP managing systems to monitor Smart Protection Server status.

Procedure

1. Go to **Administration > SNMP Service**.



2. Select the **Enable SNMP Service** check box.
3. Specify a **Community name**.
4. Select the **Enable IP restriction** check box to prevent unauthorized access to the SNMP service.



Note

Classless Inter-Domain Routing (CIDR) is not supported for IP restriction.

5. Specify an IP address.
6. Specify a subnet mask.

7. Click **Save**.

Downloading the MIB File

Download the MIB file from the web console to use SNMP Service.

Procedure

1. Go to **Administration > SNMP Service**.
2. Click **Smart Protection Server MIB** to download the MIB file. A confirmation prompt displays.
3. Click **Save**.

The **Save As** screen displays.

4. Specify the save location.
5. Click **Save**.

Smart Protection Server MIB

The following table provides a description of the Smart Protection Server MIB.

OBJECT NAME	OBJECT IDENTIFIER (OID)	DESCRIPTION
Trend-MIB:: TBLVersion	1.3.6.1.4.1.610 1.1.2.1.1	Returns the current Smart Scan Pattern version.
Trend-MIB:: TBLLastSuccessfullUpdate	1.3.6.1.4.1.610 1.1.2.1.2	Returns the date and time of the last successful Smart Scan Pattern update.

OBJECT NAME	OBJECT IDENTIFIER (OID)	DESCRIPTION
Trend-MIB::LastUpdateError	1.3.6.1.4.1.610 1.1.2.1.3	Returns the status of the last Smart Scan Pattern update. <ul style="list-style-type: none"> 0: Last pattern update was successful. <error code>: Last pattern update was unsuccessful.
Trend-MIB::LastUpdateErrorMessage	1.3.6.1.4.1.610 1.1.2.1.4	Returns an error message if the last Smart Scan Pattern update was unsuccessful.
Trend-MIB::WCSVersion	1.3.6.1.4.1.610 1.1.2.1.5	Returns the current Web Blocking Pattern version.
Trend-MIB::WCSLastSuccessfulUpdate	1.3.6.1.4.1.610 1.1.2.1.6	Returns the date and time of the last successful Web Blocking Pattern update.
Trend-MIB::WCSLastUpdateError	1.3.6.1.4.1.610 1.1.2.1.7	Returns the status of the last Web Blocking Pattern update. <ul style="list-style-type: none"> 0: Last pattern update was successful. <error code>: Last pattern update was unsuccessful.
Trend-MIB::WCSLastUpdateErrorMessage	1.3.6.1.4.1.610 1.1.2.1.8	Returns an error message if the last Web Blocking Pattern update was unsuccessful.
Trend-MIB::LastVerifyError	1.3.6.1.4.1.610 1.1.2.2.2	Returns the status of file reputation query. <ul style="list-style-type: none"> 0: File reputation query is behaving as expected. <error code>: File reputation query is not behaving as expected.

OBJECT NAME	OBJECT IDENTIFIER (OID)	DESCRIPTION
Trend-MIB:: WCSLastVerify Error	1.3.6.1.4.1.610 1.1.2.2.3	Returns the status of web reputation query. <ul style="list-style-type: none"> 0: Web reputation query is behaving as expected. <error code>: Web reputation query is not behaving as expected.
Trend-MIB:: LastVerifyError Message	1.3.6.1.4.1.610 1.1.2.2.4	Returns an error message if the last health status of a File Reputation query was unsuccessful.
Trend-MIB:: WCSLastVerify ErrorMessage	1.3.6.1.4.1.610 1.1.2.2.5	Returns an error message if the last health status of a Web Reputation query was unsuccessful.

Supported MIB

The following table provides a description of other supported MIBs.

OBJECT NAME	OBJECT IDENTIFIER (OID)	DESCRIPTION
SNMP MIB-2 System	1.3.6.1.2.1.1	The system group includes information about the system on which the entity resides. Object in this group are useful for fault management and configuration management. See IETF RFC 1213 .
SNMP MIB-2 Interfaces	1.3.6.1.2.1.2	The interfaces object group contains information about each interface on a network device. This group provides useful information on fault management, configuration management, performance management and accounting management. See IETF RFC 2863 .

Proxy Settings


If you use a proxy server in the network, configure proxy settings. These are the options available on this screen.

- **Use a proxy server:** Select if your network uses a proxy server.
- **HTTP:** Select if your proxy server uses HTTP as the proxy protocol.
- **SOCKS5:** Select if your proxy server uses SOCKS5 as the proxy protocol.
- **Server name or IP address:** Type the proxy server name or IP address.
- **Port:** Type the port number.
- **User ID:** Type the user ID for the proxy server if your proxy server requires authentication.
- **Password:** Type the password for the proxy server if your proxy server requires authentication.

Configuring Proxy Settings

Procedure

1. Go to **Administration > Proxy Settings**.



2. Select the **Use a proxy server** for updates check box.
3. Select **HTTP or SOCKS5** for the Proxy protocol.



Note

Smart Protection Server no longer supports SOCKS4 proxy configurations.

4. Type the server name or IP address.
5. Type the port number.
6. If your proxy server requires credentials, type the **User ID** and **Password**.
7. Click **Save**.

Support

Use the web console to download diagnostic information for troubleshooting and support.

Click **Start** to begin collecting diagnostic information.

Downloading System Information for Support

Procedure

1. Go to **Administration > Support**.
2. Click **Start**.
The download progress screen appears.
3. Click **Save** when the prompt for the downloaded file appears.
4. Specify the location and file name.
5. Click **Save**.

Changing the Product Console Password

The product console password is the primary means to protect Smart Protection Server from unauthorized changes. For a more secure environment, change the console password on a regular basis and use a password that is difficult to guess. The admin account password can be changed through the Command Line Interface (CLI). Use the "configure password" command from the CLI to make changes.



Tip

To design a secure password consider the following:

- Include both letters and numbers.
- Avoid words found in any dictionary (of any language).
- Intentionally misspell words.
- Use phrases or combine words.
- Use a combination of uppercase and lowercase letters.
- Use symbols.

Procedure

1. Log on to the CLI console with the admin account.

```
Trend Micro Smart Protection Server

Use one of the following addresses with your Trend Micro client management
products for File Reputation connections:

https:// IPv4 addr :/tmcss
http:// IPv4 addr :/tmcss
https://[ IPv6 addr ]:/tmcss
http://[ IPv6 addr ]:/tmcss
https://TMSPS25.trendmicro.com:tmcss
http://TMSPS25.trendmicro.com:tmcss

Use the following address with your Trend Micro client management products
for Web Reputation connections:

http:// IPv4 addr :5274
http://[ IPv6 addr ]:5274
http://TMSPS25.trendmicro.com:5274

Use the following URL to access the Web product console:

https:// IPv4 addr :4343
https://[ IPv6 addr ]:4343
https://TMSPS25.trendmicro.com:4343
```

2. Type the following to enable administrative commands:

```
enable
```

3. Type the following command:

```
configure password admin
```

4. Type the new password.

5. Type the new password a second time to confirm the password.

Importing Certificates

This Smart Protection Server version allows administrators to regenerate or import the server certificate for safety and security.

Procedure

1. Go to **Administration > Certificate**.

The current "Server Certificate Information" displays.

2. Click **Replace the current certificate**.
3. Click **Browse...** to select a valid certificate to upload. The certificate must be a .pem file.
4. Click **Next**.
5. Check the details for the new certificate, and click **Finish**. Wait a few seconds for the certificate to import.

Integration with Trend Micro Products and Services

Smart Protection Server integrates with the Trend Micro products and services listed in the following tables. Refer to the relevant sections of the integrating products' online help for integration details.

TABLE 2-2. File Reputation Services

COMPONENTS USED	COMPONENT SOURCE	INTEGRATING PRODUCTS AND MINIMUM SUPPORTED VERSIONS	FIRST SMART PROTECTION SERVER VERSION
<p>Smart Scan Pattern</p> <p> Note Smart Scan Pattern works in conjunction with the Smart Scan Agent Pattern installed on the integrating product.</p>	<ul style="list-style-type: none"> Trend Micro ActiveUpdate Server (default) HTTP or HTTPS supported as an other update source 	<ul style="list-style-type: none"> OfficeScan 10 Core Protection Module 10.5 Deep Security 7.5 InterScan Messaging Security Virtual Appliance 9.1 InterScan Web Security Virtual Appliance 6.5 SP1 ScanMail for Microsoft Exchange 10 SP1 PortalProtect 2.1 for SharePoint 2.1 Threat Mitigator 2.5 Worry-Free Business Security 6.0 	1.0

COMPONENTS USED	COMPONENT SOURCE	INTEGRATING PRODUCTS AND MINIMUM SUPPORTED VERSIONS	FIRST SMART PROTECTION SERVER VERSION
Smart Protection Service Proxy (used for Community File Reputation)	N/A (built in)	<ul style="list-style-type: none">• Deep Discovery Email Inspector 2.5• Deep Discovery Inspector 3.8 SP2• Deep Discovery Analyzer 5.5 SP1• OfficeScan XG	3.0 Patch 2

TABLE 2-3. Web Reputation Services

COMPONENTS USED	COMPONENT SOURCE	INTEGRATING PRODUCTS AND MINIMUM SUPPORTED VERSIONS	FIRST SMART PROTECTION SERVER VERSION
Web Blocking Pattern	<ul style="list-style-type: none"> • Trend Micro Active Update Server (default) • Other update source supported 	<ul style="list-style-type: none"> • OfficeScan 10.5 • Core Protection Module 10.5 • Deep Discovery Inspector 2.6 • Deep Security 7.5 	2.0
Approved/Blocked URLs	N/A (list configured directly on the Smart Protection Server console)	<ul style="list-style-type: none"> • ScanMail for Microsoft Exchange 10.0 SP1 • ScanMail for Lotus Domino 5.6 • PortalProtect 2.1 	2.0
Suspicious URLs	<ul style="list-style-type: none"> • Control Manager 6.0 SP2 • Deep Discovery Analyzer 5.0 	<ul style="list-style-type: none"> • Trend Micro Security (for Mac) 2.0 	2.6 Patch 1
Enhanced Suspicious URLs	<ul style="list-style-type: none"> • Control Manager 6.0 SP3 	<ul style="list-style-type: none"> • OfficeScan 11 SP1 	3.0 Patch 1
Smart Protection Service Proxy (used for Web Inspection Service)	N/A (built in)	<ul style="list-style-type: none"> • Deep Discovery Email Inspector 2.5 • Deep Discovery Inspector 3.8 SP2 • Deep Discovery Analyzer 5.5 SP1 	3.0 Patch 2

TABLE 2-4. Mobile App Reputation Services

COMPONENTS USED	COMPONENT SOURCE	INTEGRATING PRODUCTS AND MINIMUM SUPPORTED VERSIONS	FIRST SMART PROTECTION SERVER VERSION
Smart Protection Service Proxy	N/A (built in)	<ul style="list-style-type: none"> • Deep Discovery Email Inspector 2.5 • Deep Discovery Inspector 3.8 SP2 • Deep Discovery Analyzer 5.5 SP1 	3.0 Patch 2

TABLE 2-5. Certified Safe Software Service

COMPONENTS USED	COMPONENT SOURCE	INTEGRATING PRODUCTS AND MINIMUM SUPPORTED VERSIONS	FIRST SMART PROTECTION SERVER VERSION
Smart Protection Service Proxy	N/A (built in)	<ul style="list-style-type: none"> • Deep Discovery Email Inspector 2.5 • Deep Discovery Inspector 3.8 SP2 • Deep Discovery Analyzer 5.5 SP1 	3.0 Patch 2

TABLE 2-6. Predictive Machine Learning

COMPONENTS USED	COMPONENT SOURCE	INTEGRATING PRODUCTS AND MINIMUM SUPPORTED VERSIONS	FIRST SMART PROTECTION SERVER VERSION
Smart Protection Service Proxy	N/A (built in)	<ul style="list-style-type: none"> • OfficeScan XG 	3.1



Note

The Smart Protection Service Proxy redirects query requests from integrated products to the Smart Protection Network for further analysis.

Chapter 3

Monitoring Smart Protection Server

Monitor Smart Protection Server with logs and from the Summary screen with widgets.


Topics include:

- *Using the Summary Screen on page 3-2*
- *Logs on page 3-13*
- *Notifications on page 3-16*

Using the Summary Screen

The **Summary** screen can display customized information about Smart Protection Server computers, traffic, and detections.

Smart Protection Server supports both HTTP and HTTPS protocols for File Reputation Service connections and HTTP protocol for Web Reputation Service connections. HTTPS provides a more secure connection while HTTP uses less bandwidth. Smart Protection Server addresses are displayed on the Command Line Interface (CLI) console banner.



The **Summary** screen consists of the following user interface elements:

- **Server Visibility**: Click to add servers to the Server Visibility list or configure proxy server settings for connection to servers in the Server Visibility list. Editing server information is the same for all widgets.



Note

Smart Protection Server Addresses are used with Trend Micro products that manage endpoints. Server Addresses are used for configuring endpoint connections to Smart Protection Server computers.

- Tabs provide a container for widgets. For details, see [Tabs on page 3-3](#).
- Widgets are the core components of the dashboard. For details, see [Widgets on page 3-6](#).

Tabs

Tabs provide a container for widgets. Each tab on the **Summary** screen can hold up to 20 widgets. The **Summary** screen itself supports up to 30 tabs.

Tab Tasks

The following table lists all the tab-related tasks:



Task	Steps
Add a tab	Click the plus icon () on top of the Summary screen. The New Tab window displays. For details about this window, see New Tab Window on page 3-4 .
Edit tab settings	Click Tab Settings . A window similar to the New Tab window opens, where you can edit settings.
Play Tab Slide Show	Click Play Tab Slide Show . The information in the selected tabs will change similar to a slide show.

Task	Steps
Move tab	Use drag-and-drop to change a tab's position.
Delete tab	Click the delete icon (X) next to the tab title. Deleting a tab also deletes all the widgets in the tab.

New Tab Window

The **New Tab** window opens when you add a new tab in the **Summary** screen.

This window includes the following options:



OPTION	STEPS
Title	Type the name of the tab.
Layout	Choose from the available layouts.


OPTION	STEPS
Slide Show	The information in the selected tabs will change similar to a slide show. If you enable this option, you can select which tabs you want to appear in your slide show, and you can also control the speed at which your slide show plays.
Auto-fit	Auto-fit adjusts a widget to fit the size of a box.

Widgets



Widgets allow you to customize the information displayed on the **Summary** screen. New widgets can be added to the web console. Widgets can be dragged and dropped to customize the order in which they display. Available widget packages can be downloaded and updated by using the Program Update screen. After updating the widget package, the new widget can be added from the **Summary** screen.

Widget Tasks

The following table lists widget-related tasks:



Task	Steps
Add a widget	Open a tab and then click Add Widgets at the top right corner of the tab. The Add Widgets screen displays.
Refresh widget data	Click the refresh icon ().
Configure server settings	Click the triangle icon () and then click Server Settings () to include/exclude the widget from getting information from the server. You can also click Check Server Visibility to add servers from the Server Visibility list or configure proxy server settings to establish connection with the servers in the Server Visibility list.
View help	Click the triangle icon () and then click Help ().
Delete a widget	Click the triangle icon () and then click Close Widget (). This action removes the widget from the tab that contains it, but not from the other tabs that contain it or from the widget list in the Add Widgets screen.
Move a widget	Use drag-and-drop to move a widget to a different location within the tab.

TASK	STEPS
Resize a widget	<p>To resize a widget, point the cursor to the right edge of the widget. When you see a thick vertical line and an arrow (as shown in the following image), hold and then move the cursor to the left or right.</p>  <p>Only widgets on multi-column tabs can be resized. These tabs have any of the following layouts and the highlighted sections contain widgets that can be resized.</p> 

Available Widgets

The following widgets are available in this release.

Real Time Status

Use the real time status widget to monitor the Smart Protection Server status.

**Note**

When this widget displays on the Summary screen, the product console session will not expire. The Computer Status is updated every minute which means the session will not expire due to the requests sent to the server. However, the session will still expire if the tab that is currently displayed does not contain this widget.

TABLE 3-1. Widget Data

DATA	DESCRIPTION
Service	Services provided by the Smart Protection Server.
Protocol	This displays the protocols supported by services. File reputation supports both HTTP and HTTPS protocols. Web reputation supports HTTP. HTTPS provides a more secure connection while HTTP uses less bandwidth.
Host	File reputation and Web reputation service addresses. These addresses are used with Trend Micro products that support Smart Protection Server computers. The addresses are used for configuring connections to Smart Protection Server computers.
Computer Status	The following items are displayed under Health Status: <ul style="list-style-type: none"> • File Reputation Query: displays whether File reputation is functioning as expected. • Web Reputation Query: displays whether Web reputation is functioning as expected. • ActiveUpdate: displays whether ActiveUpdate is functioning as expected. • Average CPU load: displays the computer load average for the past 1, 5, and 15 minutes generated by the kernel. • Free memory: displays the available physical memory on the computer. • Swap disk usage: displays the swap disk usage. • Free space: displays the available free disk space on the computer.

Active Users for File Reputation

The Active Users widget displays the number of users that have made file reputation queries to the Smart Protection Server. Each unique client computer is considered an active user.



Note

This widget displays information in a 2-D graph and is updated every hour or click the refresh icon () at any time to update the data.

TABLE 3-2. Widget Data

DATA	DESCRIPTION
Users	The number of users that sent queries to Smart Protection Server computers.
Date	The date of the query.

HTTP Traffic Report for File Reputation

The HTTP Traffic Report widget displays the total amount of network traffic in kilobytes (KB) that has been sent to the Smart Protection Server from file reputation queries generated by clients. The information in this widget is updated hourly. You can also click the refresh icon () at any time to update the data.

TABLE 3-3. Widget Data

DATA	DESCRIPTION
Traffic (KB)	The network traffic generated by queries.
Date	The date of the queries.

Top 10 Blocked Computers for File Reputation

This widget displays the top 10 computer IP addresses which have been classified as infected computers after Smart Protection Server receives a known virus from file reputation query. Information in this widget is displayed in a table, which includes the

computer IP address and the total number of detections on each computer. The information in this widget is updated hourly or you can click the refresh icon (refresh icon) at any time to update the data.

Use this widget to track computers with the most number of infections on your network.



Note

If you enable more than one Smart Protection Server in this widget, this widget will calculate the total number of detections on the selected Smart Protection Server and display the top 10 infected computers from the selected Smart Protection Server computers in the list.

TABLE 3-4. Widget Data

DATA	DESCRIPTION
IP	The IP address of the computer.
Detections	The number of security threats detected by this computer.

Active Users for Web Reputation

The Active Users widget displays the number of users that have made web reputation queries to the Smart Protection Server. Each unique client computer is considered an active user.



Note

This widget displays information in a 2-D graph and is updated every 5 minutes or click the refresh icon (refresh icon) at any time to update the data.

TABLE 3-5. Widget Data

DATA	DESCRIPTION
Users	The number of users that sent queries to Smart Protection Server computers.

DATA	DESCRIPTION
Date	The date of the query.

HTTP Traffic Report for Web Reputation

The HTTP Traffic Report widget displays the total amount of network traffic in kilobytes (KB) that has been sent to the Smart Protection Server from web reputation queries generated by clients. The information in this widget is updated hourly. You can also click the refresh icon (↻) at any time to update the data.

TABLE 3-6. Widget Data

DATA	DESCRIPTION
Traffic (KB)	The network traffic generated by queries.
Date	The date of the queries.

Top 10 Blocked Computers for Web Reputation

This widget displays the top 10 computer IP addresses which have been classified as blocked computers after the Smart Protection Server receives a URL for web reputation query. Information in this widget is displayed in a table, which includes the computer IP address and the total number of blocked URLs on each computer. The information in this widget is updated daily or you can click the refresh icon (↻) at any time to update the data.

Use this widget to track computers who access the most number of blocked sites on your network.



Note

If you enable more than one Smart Protection Server in this widget, this widget will calculate the total number of detections on the selected Smart Protection Server and display the top 10 blocked computers from the selected Smart Protection Server computers in the list.

TABLE 3-7. Widget Data

DATA	DESCRIPTION
IP	The IP address of the computer.
Detections	The number of blocked URLs from this computer.

Logs

Use logs to monitor the status of Smart Protection Server. To view log information, perform a query.

Blocked URLs

The **Blocked URLs** screen displays information for Web Reputation queries that return malicious results.

Below are the options available on this screen.

- **Keyword:** Specify keywords to use when searching for URLs.
- **Date Range:** Select a date range.
- **Source:** Select one or more sources to display the corresponding logs.
 - **User-defined blocked URLs:** Displays blocked URLs that match the Smart Protection Server user-defined blocked URLs.
 - **Web Blocking Pattern:** Displays blocked URLs that match entries in the Web Blocking Pattern.
 - **C&C URLs matched with:** Displays blocked URLs that match entries in the following sources:
 - **Control Manager user-defined suspicious objects:** A subset of the user-defined suspicious objects in Control Manager

- **Virtual Analyzer:** A subset of the suspicious objects in Virtual Analyzer enabled products, such as Deep Discovery Advisor, Deep Discovery Analyzer and Control Manager
- **Global Intelligence in Web Blocking Pattern:** Trend Micro Smart Protection Network compiles the Global Intelligence list from sources all over the world and tests and evaluates the risk level of each C&C callback address. Web Reputation Services uses the Global Intelligence list in conjunction with the reputation scores for malicious websites to provide enhanced security against advanced threats. The web reputation security level determines the action taken on malicious websites or C&C servers based on assigned risk levels.

Below are the details displayed on this screen:

- **Date and time:** The date and time of the blocked URL event.
- **URL:** The blocked URL.
- **Display log:** Displays source information about the blocked URL.
- **Client GUID:** The GUID of the computer that attempted to access the blocked URL.
- **Server GUID:** The GUID of the Trend Micro product that supports Smart Protection Server computers.
- **Client IP:** The IP address of the computer that attempted to access the blocked URL.
- **Computer:** The name of the computer that attempted to access the blocked URL.
- **Product Entity:** The Trend Micro product that detected the URL.

Update Log

The Update Log screen displays information about pattern or program file updates. These are the options available on this screen.

- **Date Range:** Select the date range that the update took place.

- **Type:** Select the type of update to display.

Log Details:

- **Date and time:** The date and time the server was updated.
- **Component Name:** The component that was updated.
- **Result:** This can either be successful or unsuccessful.
- **Description:** This describes the update event.
- **Update Method:** This shows either conventional or smart scan.

Reputation Service Log

The Reputation Service Log screen displays service status information for Web Reputation and File Reputation. These are the options available on this screen.

- **Service:** Specify the service.
- **Result:** Specify the result type.
- **Date Range:** Select a date range.

Log Details:

- **Date and time:** The date and time the reputation checked the service status for Web Reputation or File Reputation.
- **Service:** This can either be Web Reputation or File Reputation.
- **Result:** This can either be successful or unsuccessful.
- **Description:** This describes the service status for Web Reputation or File Reputation.

Log Maintenance

Perform log maintenance to delete logs that are no longer needed. These are the options available on this screen.

- **Pattern Update Log:** Select to purge pattern update log entries.
- **Program Update Log:** Select to purge update log entries.
- **Blocked URLs:** Select to purge URL query entries.
- **Reputation Service Log:** Select to purge reputation service event entries.
- **Delete all logs:** Select to delete all logs.
- **Purge logs older than the following number of days:** Select to purge older logs.
- **Enable scheduled purge:** Select to schedule automatic purge.

Procedure

1. Go to **Logs > Log Maintenance**.
2. Select the log types to purge.
3. Select to delete all logs or logs older than a specified number of days.
4. Select a purge schedule or click **Purge Now**.
5. Click **Save**.

Notifications

You can configure Smart Protection Server to send email message or Simple Network Management Protocol (SNMP) trap notifications to designated individuals when there is a status change in services or updates.

Email Notifications

Configure email notification settings to notify administrators through email messages when there is a status change in services or updates. These are the options available on this screen.


- **SMTP server:** Type the SMTP server IP address.
- **Port number:** Type the SMTP server port number.
- **From:** Type an email address for the sender field of email notifications.
- **Services:** Select to send notifications for status changes in File Reputation, Web Reputation, and Pattern Update.
- **To:** Type an email address, or multiple email addresses, to send notifications for this event.
- **Subject:** Type a new subject or use the default subject text for this event.
- **Message:** Type a new message or use the default message text for this event.
- **File Reputation Status Change:** Select to send a notification for status changes and specify the recipient for this notification.
- **Web Reputation Status Change:** Select to send a notification for status changes and specify the recipient for this notification.
- **Pattern Update Status Change:** Select to send a notification for status changes and specify the recipient for this notification.
- **Updates:** Select to send notifications for all program related notifications.
- **Program Update Download was Unsuccessful:** Select to send a notification if the program update did not download successfully and specify the recipient for this notification.
- **Program Update Available:** Select to send a notification if a program update is available that requires confirmation and specify the recipient for this notification.
- **Program Update Status:** Select to send a notification a program has been updated and specify the recipient for this notification.
- **Program Update Restarted Smart Protection Server or Related Services:** Select to send a notification if the program update process restarted Smart Protection Server or related services and specify the recipient for this notification.
- **Default Message:** Click to revert the Subject and Message fields to Trend Micro default text.

Configuring Email Notifications

Procedure

1. Go to **Administration > Notifications** and then go to the **Email** tab.

The tab for email notifications appears.



The screenshot shows the Trend Micro Smart Protection Server administration interface. The left sidebar has a tree view with 'Smart Protection', 'Updates', 'Logs', and 'Administration' expanded. 'Administration' is selected. The 'Notifications' tab is selected under 'Administration'. The main content area is titled 'Email Notification'. It contains fields for 'SMTP server' and 'Port number', and a 'From:' field. Below these are sections for 'Events' and 'Services'. The 'Services' section is highlighted with a green background and contains checkboxes for 'File Reputation Status Change', 'Web Reputation Status Change', 'Pattern Update Status Change', and 'Program Update Download was Unsuccessful'. Other sections like 'Updates' and 'Program Update Available' are also shown. At the bottom are 'Save' and 'Cancel' buttons.

2. Select the **Services** check box to receive an email notification for status changes for all the services or select specific services from the options shown:
 - **File Reputation Status Change:** Select to send a notification for status changes and specify the recipient, subject, and message.

- **Web Reputation Status Change:** Select to send a notification for status changes and specify the recipient, subject, and message.
- **Pattern Update Status Change:** Select to send a notification for status changes and specify the recipient, subject, and message.

3. Select the **Updates** check box or select from the following:

- **Program Update Download was Unsuccessful:** Select to send a notification for this event and specify the recipient, subject, and message.
- **Program Update Available:** Select to send a notification for this event and specify the recipient, subject, and message.
- **Program Update Status:** Select to send a notification for this event and specify the recipient, subject, and message.
- **Program Update Restarted Smart Protection Server or Related Services:** Select to send a notification for this event and specify the recipient, subject, and message.

4. Type the SMTP server IP address in the **SMTP server** field.

5. Type the SMTP port number.

6. Type an email address in the **From** field. All email notifications will show this address in the From field of email messages.

7. Click **Save**.

SNMP Trap Notifications

Configure Simple Network Management Protocol (SNMP) notification settings to notify administrators through SNMP trap when there is a status change in services. These are the options available on this screen.

- **Server IP address:** Specify the SNMP trap receiver IP address.
- **Community name:** Specify the SNMP community name.
- **Services:** Select to send an SNMP notification for status changes in File Reputation, Web Reputation, and pattern updates.

- **Message:** Type a new message or use the default message text for this event.
- **File Reputation Status Change:** Select to send a notification for status changes.
- **Web Reputation Status Change:** Select to send a notification for status changes.
- **Pattern Update Status Change:** Select to send a notification for status changes.
- **Default Message:** Click to revert the Message fields to Trend Micro default text.


Configuring SNMP Trap Notifications

Configure Simple Network Management Protocol (SNMP) notification settings to notify administrators through SNMP trap when there is a status change in services.

Procedure

1. Go to **Administration > Notifications** and then go to the **SNMP** tab.

The tab for SNMP trap notifications appears.



2. Select the **Services** check box or select from the following check boxes:
 - **File Reputation Status Change:** Select to send a notification for status changes and specify the recipient, subject, and message.
 - **Web Reputation Status Change:** Select to send a notification for status changes and specify the recipient, subject, and message.
 - **Pattern Update Status Change:** Select to send a notification for status changes and specify the recipient, subject, and message.
3. Type the SNMP trap server IP address.
4. Type the SNMP community name.
5. Click **Save**.

Chapter 4

Integrating with Trend Micro[™] Control Manager[™]

Smart Protection Server integrates with Control Manager.

Topics include:

- *Trend Micro Control Manager on page 4-2*
- *Supported Control Manager Versions on page 4-2*
- *Control Manager Integration in this Smart Protection Server Release on page 4-3*

Trend Micro Control Manager

Trend Micro Control Manager™ is a central management console that manages Trend Micro products and services at the gateway, mail server, file server, and corporate desktop levels. The Control Manager web-based management console provides a single monitoring point for managed products and services throughout the network.

Control Manager allows system administrators to monitor and report on activities such as infections, security violations, or virus entry points. System administrators can download and deploy components throughout the network, helping ensure that protection is consistent and up-to-date. Control Manager allows both manual and pre-scheduled updates, and the configuration and administration of products as groups or as individuals for added flexibility.

Supported Control Manager Versions

This Smart Protection Server version supports the following Control Manager versions.

FEATURES	CONTROL MANAGER VERSION	
	6.0 SP3	6.0 SP2 OR EARLIER
Synchronize suspicious objects and actions	Yes	No
Use Control Manager as an alternative update source	Yes	Yes



Note

Smart Protection Server only connects to Control Manager pure IPv4 or dual-stack networks.

Control Manager Integration in this Smart Protection Server Release

This Smart Protection Server release includes the following features:

TABLE 4-1. Integration with Control Manager

FEATURE	DESCRIPTION
Synchronization of suspicious objects and actions	<ol style="list-style-type: none">1. Control Manager consolidates suspicious objects and scan actions, then relays this information to Smart Protection Server.2. Smart Protection Server relays suspicious URLs and actions to Office Scan agents. For products that send Web Reputation queries (such as Portal Protect and Deep Security), Smart Protection Server relays suspicious URLs only. <p> Note For more information on how Control Manager manages suspicious objects, see http://docs.trendmicro.com/all/ent/tmcm/v6.0-sp3/en-us/tmcm_6.0_sp3_ctd_primer/ctd_primer.pdf</p>
Control Manager as an alternative update source	Control Manager can act as an update source if Smart Protection Server does not have an Internet connection.

Chapter 5

Technical Support

Learn about the following topics:

- *Troubleshooting Resources on page 5-2*
- *Contacting Trend Micro on page 5-3*
- *Sending Suspicious Content to Trend Micro on page 5-4*
- *Other Resources on page 5-5*

Troubleshooting Resources

Before contacting technical support, consider visiting the following Trend Micro online resources.

Using the Support Portal

The Trend Micro Support Portal is a 24x7 online resource that contains the most up-to-date information about both common and unusual problems.

Procedure

1. Go to <http://esupport.trendmicro.com>.
2. Select from the available products or click the appropriate button to search for solutions.
3. Use the **Search Support** box to search for available solutions.
4. If no solution is found, click **Contact Support** and select the type of support needed.



Tip

To submit a support case online, visit the following URL:

<http://esupport.trendmicro.com/srf/SRFMain.aspx>

A Trend Micro support engineer investigates the case and responds in 24 hours or less.

Threat Encyclopedia

Most malware today consists of blended threats, which combine two or more technologies, to bypass computer security protocols. Trend Micro combats this complex malware with products that create a custom defense strategy. The Threat Encyclopedia

provides a comprehensive list of names and symptoms for various blended threats, including known malware, spam, malicious URLs, and known vulnerabilities.

Go to <http://about-threats.trendmicro.com/us/threatencyclopedia#malware> to learn more about:

- Malware and malicious mobile code currently active or "in the wild"
- Correlated threat information pages to form a complete web attack story
- Internet threat advisories about targeted attacks and security threats
- Web attack and online trend information
- Weekly malware reports

Contacting Trend Micro

In the United States, Trend Micro representatives are available by phone or email:

Address	Trend Micro, Incorporated 225 E. John Carpenter Freeway, Suite 1500 Irving, Texas 75062 U.S.A.
Phone	Phone: +1 (817) 569-8900 Toll-free: (888) 762-8736
Website	http://www.trendmicro.com
Email address	support@trendmicro.com

- Worldwide support offices:
<http://www.trendmicro.com/us/about-us/contact/index.html>
- Trend Micro product documentation:
<http://docs.trendmicro.com>

Speeding Up the Support Call

To improve problem resolution, have the following information available:

- Steps to reproduce the problem
- Appliance or network information
- Computer brand, model, and any additional connected hardware or devices
- Amount of memory and free hard disk space
- Operating system and service pack version
- Version of the installed agent
- Serial number or Activation Code
- Detailed description of install environment
- Exact text of any error message received

Sending Suspicious Content to Trend Micro

Several options are available for sending suspicious content to Trend Micro for further analysis.

Email Reputation Services

Query the reputation of a specific IP address and nominate a message transfer agent for inclusion in the global approved list:

<https://ers.trendmicro.com/>

Refer to the following Knowledge Base entry to send message samples to Trend Micro:

<http://esupport.trendmicro.com/solution/en-US/1112106.aspx>

File Reputation Services

Gather system information and submit suspicious file content to Trend Micro:

<http://esupport.trendmicro.com/solution/en-us/1059565.aspx>

Record the case number for tracking purposes.

Web Reputation Services

Query the safety rating and content type of a URL suspected of being a phishing site, or other so-called "disease vector" (the intentional source of Internet threats such as spyware and malware):

<http://global.sitesafety.trendmicro.com/>

If the assigned rating is incorrect, send a re-classification request to Trend Micro.

Other Resources

In addition to solutions and support, there are many other helpful resources available online to stay up to date, learn about innovations, and be aware of the latest security trends.

Download Center

From time to time, Trend Micro may release a patch for a reported known issue or an upgrade that applies to a specific product or service. To find out whether any patches are available, go to:

<http://www.trendmicro.com/download/>

If a patch has not been applied (patches are dated), open the Readme file to determine whether it is relevant to your environment. The Readme file also contains installation instructions.

Documentation Feedback

Trend Micro always seeks to improve its documentation. If you have questions, comments, or suggestions about this or any Trend Micro document, please go to the following site:

<http://www.trendmicro.com/download/documentation/rating.asp>

Appendix A

Command Line Interface (CLI) Commands

This section describes the Command Line Interface (CLI) commands that you can use in the product to perform monitoring, debugging, troubleshooting, and configuration tasks. Log on to the CLI through the virtual machine with your admin account. CLI commands allow administrators to perform configuration tasks and to perform debug and troubleshooting functions. The CLI interface also provides additional commands to monitor critical resources and functions. To access the CLI interface, you will need to have the administrator account and password.

COMMAND	SYNTAX	DESCRIPTION
certificate regen self-sign	certificate regen self-sign <Issued_to> <Issued_by> <Validity>	Regenerate self-sign certificate. <Issued_to>: Common Name or CN of the recipient of the certificate <Issued_by>: Common Name or CN of the issuer of the certificate <Validity>: The number of days the certificate is valid for
certificate update CA	certificate update CA	Download the latest CA bundle

COMMAND	SYNTAX	DESCRIPTION
configure date	configure date <date> <time>	Configure date and save to CMOS date DATE_FIELD [DATE_FIELD] time TIME_FIELD [TIME_FIELD]
configure dns ipv4	configure dns ipv4 <dns1> [dns2]	Configure IPv4 DNS settings dns1 IPv4_ADDR Primary DNS server dns2 IPv4_ADDR Secondary DNS server []
configure dns ipv6	configure dns ipv6 <dns1> [dns2]	Configure IPv6 DNS settings dns1 IPv6_ADDR Primary DNS server dns2 IPv6_ADDR Secondary DNS server []
configure hostname	configure hostname <hostname>	Configure the hostname hostname HOSTNAME Hostname or FQDN
configure ipv4 dhcp	configure ipv4 dhcp [vlan]	Configure the default Ethernet interface to use DHCP vlan VLAN_ID VLan ID [1-4094], default none VLan: [0]
configure ipv4 static	configure ipv4 static <ip> <mask> <gateway> [vlan]	Configure the default Ethernet interface to use the static IPv4 configuration vlan VLAN_ID VLan ID [1-4094], default none VLan: [0]
configure ipv6 auto	configure ipv6 auto [vlan]	Configure the default Ethernet interface to use the automatic neighbor discovery IPv6 configuration vlan VLAN_ID VLan ID [1-4094], default none VLan: [0]

COMMAND	SYNTAX	DESCRIPTION
configure ipv6 dhcp	configure ipv6 dhcp [vlan]	Configure the default Ethernet interface to use the dynamic IPv6 configuration (DHCPv6) vlan VLAN_ID VLan ID [1-4094], default none VLan: [0]
configure ipv6 static	configure ipv6 static <v6ip> <v6mask> <v6gate> [vlan]	Configure the default Ethernet interface to use the static IPv6 configuration vlan VLAN_ID VLan ID [1-4094], default none VLan: [0]
configure locale de_DE	configure locale de_DE	Configure system locale to German
configure locale en_US	configure locale en_US	Configure system locale to English
configure locale es_ES	configure locale es_ES	Configure system locale to Spanish
configure locale fr_FR	configure locale fr_FR	Configure system locale to French
configure locale it_IT	configure locale it_IT	Configure system locale to Italian
configure locale ja_JP	configure locale ja_JP	Configure system locale to Japanese
configure locale ko_KR	configure locale ko_KR	Configure system locale to Korean
configure locale ru_RU	configure locale ru_RU	Configure system locale to Russian
configure locale zh_CN	configure locale zh_CN	Configure system locale to Chinese (Simplified)
configure locale zh_TW	configure locale zh_TW	Configure system locale to Chinese (Traditional)

COMMAND	SYNTAX	DESCRIPTION
configure ntp	configure ntp <ip or FQDN>	Configure the NTP server
configure port	configure port <frs_http_port> <frs_https_port> <wrs_http_port>	To change the service ports of the File and Web Reputation Services.
configure password	configure password <user>	Configure account password user USER The user name for which you want to change the password. The user could be 'admin', 'root', or any user in the Smart Protection Server's Administrator group.
configure proxy-service	configure proxy-service <wis_url> <cfr_url> <grid_url> <mars_url>	Modify Trend Micro global protection service URLs. <wis_url>: Web Inspection Service URL <cfr_url>: Community File Reputation URL <grid_url>: Goodware Resource and Information Database URL <mars_url>: Mobile App Reputation Service URL
configure service	configure service interface <ifname>	Configure the default server settings
configure timezone Africa Cairo	configure timezone Africa Cairo	Configure timezone to Africa/Cairo location.
configure timezone Africa Harare	configure timezone Africa Harare	Configure timezone to Africa/Harare location.
configure timezone Africa Nairobi	configure timezone Africa Nairobi	Configure timezone to Africa/Nairobi location.

COMMAND	SYNTAX	DESCRIPTION
<code>configure timezone America Anchorage</code>	<code>configure timezone America Anchorage</code>	Configure timezone to America/Anchorage location.
<code>configure timezone America Bogota</code>	<code>configure timezone America Bogota</code>	Configure timezone to America/Bogota location.
<code>configure timezone America Buenos_Aires</code>	<code>configure timezone America Buenos_Aires</code>	Configure timezone to America/Buenos Aires location.
<code>configure timezone America Caracas</code>	<code>configure timezone America Caracas</code>	Configure timezone to America/Caracas location.
<code>configure timezone America Chicago</code>	<code>configure timezone America Chicago</code>	Configure timezone to America/Chicago location.
<code>configure timezone America Chihuahua</code>	<code>configure timezone America Chihuahua</code>	Configure timezone to America/Chihuahua location.
<code>configure timezone America Denver</code>	<code>configure timezone America Denver</code>	Configure timezone to America/Denver location.
<code>configure timezone America Godthab</code>	<code>configure timezone America Godthab</code>	Configure timezone to America/Godthab location
<code>configure timezone America Lima</code>	<code>configure timezone America Lima</code>	Configure timezone to America/Lima location.

COMMAND	SYNTAX	DESCRIPTION
<code>configure timezone America Los_Angeles</code>	<code>configure timezone America Los_Angeles</code>	Configure timezone to America/Los Angeles location.
<code>configure timezone America Mexico_City</code>	<code>configure timezone America Mexico_City</code>	Configure timezone to America/Mexico City location.
<code>configure timezone America New_York</code>	<code>configure timezone America New_York</code>	Configure timezone to America/New York location.
<code>configure timezone America Noronha</code>	<code>configure timezone America Noronha</code>	Configure timezone to America/Noronha location.
<code>configure timezone America Phoenix</code>	<code>configure timezone America Phoenix</code>	Configure timezone to America/Phoenix location.
<code>configure timezone America Santiago</code>	<code>configure timezone America Santiago</code>	Configure timezone to America/Santiago location.
<code>configure timezone America St_Johns</code>	<code>configure timezone America St_Johns</code>	Configure timezone to America/St Johns location.
<code>configure timezone America Tegucigalpa</code>	<code>configure timezone America Tegucigalpa</code>	Configure timezone to America/Tegucigalpa location.

COMMAND	SYNTAX	DESCRIPTION
<code>configure timezone Asia Almaty</code>	<code>configure timezone Asia Almaty</code>	Configure timezone to Asia/Almaty location.
<code>configure timezone Asia Baghdad</code>	<code>configure timezone Asia Baghdad</code>	Configure timezone to Asia/Baghdad location.
<code>configure timezone Asia Baku</code>	<code>configure timezone Asia Baku</code>	Configure timezone to Asia/Baku location.
<code>configure timezone Asia Bangkok</code>	<code>configure timezone Asia Bangkok</code>	Configure timezone to Asia/Bangkok location.
<code>configure timezone Asia Calcutta</code>	<code>configure timezone Asia Calcutta</code>	Configure timezone to Asia/Calcutta location.
<code>configure timezone Asia Colombo</code>	<code>configure timezone Asia Colombo</code>	Configure timezone to Asia/Colombo location.
<code>configure timezone Asia Dhaka</code>	<code>configure timezone Asia Dhaka</code>	Configure timezone to Asia/Dhaka location.
<code>configure timezone Asia Hong_Kong</code>	<code>configure timezone Asia Hong_Kong</code>	Configure timezone to Asia/Hong Kong location.
<code>configure timezone Asia Irkutsk</code>	<code>configure timezone Asia Irkutsk</code>	Configure timezone to Asia/Irkutsk location.
<code>configure timezone Asia Jerusalem</code>	<code>configure timezone Asia Jerusalem</code>	Configure timezone to Asia/Jerusalem location.

COMMAND	SYNTAX	DESCRIPTION
configure timezone Asia Kabul	configure timezone Asia Kabul	Configure timezone to Asia/Kabul location.
configure timezone Asia Karachi	configure timezone Asia Karachi	Configure timezone to Asia/Karachi location.
configure timezone Asia Katmandu	configure timezone Asia Katmandu	Configure timezone to Asia/Katmandu location.
configure timezone Asia Krasnoyarsk	configure timezone Asia Krasnoyarsk	Configure timezone to Asia/Krasnoyarsk location.
configure timezone Asia Kuala_Lumpur	configure timezone Asia Kuala_Lumpur	Configure timezone to Asia/Kuala Lumpur location.
configure timezone Asia Kuwait	configure timezone Asia Kuwait	Configure timezone to Asia/Kuwait location.
configure timezone Asia Magadan	configure timezone Asia Magadan	Configure timezone to Asia/Magadan location.
configure timezone Asia Manila	configure timezone Asia Manila	Configure timezone to Asia/Manila location.
configure timezone Asia Muscat	configure timezone Asia Muscat	Configure timezone to Asia/Muscat location.
configure timezone Asia Rangoon	configure timezone Asia Rangoon	Configure timezone to Asia/Rangoon location.

COMMAND	SYNTAX	DESCRIPTION
<code>configure timezone Asia Seoul</code>	<code>configure timezone Asia Seoul</code>	Configure timezone to Asia/Seoul location.
<code>configure timezone Asia Shanghai</code>	<code>configure timezone Asia Shanghai</code>	Configure timezone to Asia/Shanghai location.
<code>configure timezone Asia Singapore</code>	<code>configure timezone Asia Singapore</code>	Configure timezone to Asia/Singapore location.
<code>configure timezone Asia Taipei</code>	<code>configure timezone Asia Taipei</code>	Configure timezone to Asia/Taipei location.
<code>configure timezone Asia Tehran</code>	<code>configure timezone Asia Tehran</code>	Configure timezone to Asia/Tehran location.
<code>configure timezone Asia Tokyo</code>	<code>configure timezone Asia Tokyo</code>	Configure timezone to Asia/Tokyo location.
<code>configure timezone Asia Yakutsk</code>	<code>configure timezone Asia Yakutsk</code>	Configure timezone to Asia/Yakutsk location.
<code>configure timezone Atlantic Azores</code>	<code>configure timezone Atlantic Azores</code>	Configure timezone to Atlantic/Azores location.
<code>configure timezone Australia Adelaide</code>	<code>configure timezone Australia Adelaide</code>	Configure timezone to Australia/Adelaide location.

COMMAND	SYNTAX	DESCRIPTION
configure timezone Australia Brisbane	configure timezone Australia Brisbane	Configure timezone to Australia/Brisbane location.
configure timezone Australia Darwin	configure timezone Australia Darwin	Configure timezone to Australia/Darwin location.
configure timezone Australia Hobart	configure timezone Australia Hobart	Configure timezone to Australia/Hobart location.
configure timezone Australia Melbourne	configure timezone Australia Melbourne	Configure timezone to Australia/Melbourne location.
configure timezone Australia Perth	configure timezone Australia Perth	Configure timezone to Australia/Perth location.
configure timezone Europe Amsterdam	configure timezone Europe Amsterdam	Configure timezone to Europe/Amsterdam location.
configure timezone Europe Athens	configure timezone Europe Athens	Configure timezone to Europe/Athens location.
configure timezone Europe Belgrade	configure timezone Europe Belgrade	Configure timezone to Europe/Belgrade location.

COMMAND	SYNTAX	DESCRIPTION
<code>configure timezone Europe Berlin</code>	<code>configure timezone Europe Berlin</code>	Configure timezone to Europe/Berlin location.
<code>configure timezone Europe Brussels</code>	<code>configure timezone Europe Brussels</code>	Configure timezone to Europe/Brussels location.
<code>configure timezone Europe Bucharest</code>	<code>configure timezone Europe Bucharest</code>	Configure timezone to Europe/Bucharest location.
<code>configure timezone Europe Dublin</code>	<code>configure timezone Europe Dublin</code>	Configure timezone to Europe/Dublin location.
<code>configure timezone Europe Moscow</code>	<code>configure timezone Europe Moscow</code>	Configure timezone to Europe/Moscow location.
<code>configure timezone Europe Paris</code>	<code>configure timezone Europe Paris</code>	Configure timezone to Europe/Paris location.
<code>configure timezone Pacific Auckland</code>	<code>configure timezone Pacific Auckland</code>	Configure timezone to Pacific/Auckland location.
<code>configure timezone Pacific Fiji</code>	<code>configure timezone Pacific Fiji</code>	Configure timezone to Pacific/Fiji location.
<code>configure timezone Pacific Guam</code>	<code>configure timezone Pacific Guam</code>	Configure timezone to Pacific/Guam location.

COMMAND	SYNTAX	DESCRIPTION
configure timezone Pacific Honolulu	configure timezone Pacific Honolulu	Configure timezone to Pacific/Honolulu location.
configure timezone Pacific Kwajalein	configure timezone Pacific Kwajalein	Configure timezone to Pacific/Kwajalein location.
configure timezone Pacific Midway	configure timezone Pacific Midway	Configure timezone to Pacific/Midway location.
configure timezone US Alaska	configure timezone US Alaska	Configure timezone to US/Alaska location.
configure timezone US Arizona	configure timezone US Arizona	Configure timezone to US/Arizona location.
configure timezone US Central	configure timezone US Central	Configure timezone to US/Central location.
configure timezone US East-Indiana	configure timezone US East-Indiana	Configure timezone to US/East-Indiana location.
configure timezone US Eastern	configure timezone US Eastern	Configure timezone to US/Eastern location.
configure timezone US Hawaii	configure timezone US Hawaii	Configure timezone to US/Hawaii location.
configure timezone US Mountain	configure timezone US Mountain	Configure timezone to US/Mountain location.

COMMAND	SYNTAX	DESCRIPTION
configure timezone US Pacific	configure timezone US Pacific	Configure timezone to US/Pacific location.
disable adhoc- query	disable adhoc- query	Disable Web Access Log
disable ssh	disable ssh	Disable the sshd daemon
enable	enable	Enable administrative commands
enable adhoc- query	enable adhoc- query	Enable Web Access Log
enable ssh	enable ssh	Enable the sshd daemon
exit	exit	Exit the session
help	help	Display an overview of the CLI syntax.
history	history [limit]	Display the current session's command line history limit specifies the number of CLI commands to display. Example: Specifying a limit of "5" means 5 CLI commands display.
reboot	reboot [time]	Reboot this machine after a specified delay or immediately time UNIT Time in minutes to reboot this machine [0]
show date	show date	Display current date/time
show hostname	show hostname	Display network hostname
show interfaces	show interfaces	Display network interface information
show ipv4 address	show ipv4 address	Display network IPv4 address

COMMAND	SYNTAX	DESCRIPTION
<code>show ipv4 dns</code>	<code>show ipv4 dns</code>	Display network IPv4 DNS servers
<code>show ipv4 gateway</code>	<code>show ipv4 gateway</code>	Display network IPv4 gateway
<code>show ipv4 route</code>	<code>show ipv4 route</code>	Display network IPv4 routing table
<code>show ipv4 type</code>	<code>show ipv4 type</code>	Display network IPv4 configuration type (dhcp / static)
<code>show ipv6 address</code>	<code>show ipv6 address</code>	Display network IPv6 address
<code>show ipv6 dns</code>	<code>show ipv6 dns</code>	Display network IPv6 DNS servers
<code>show ipv6 gateway</code>	<code>show ipv6 gateway</code>	Display network IPv6 gateway
<code>show ipv6 route</code>	<code>show ipv6 route</code>	Display network IPv6 routing table
<code>show ipv6 type</code>	<code>show ipv6 type</code>	Display network IPv6 configuration type (auto / dhcp / static)
<code>show timezone</code>	<code>show timezone</code>	Display network timezone
<code>show uptime</code>	<code>show uptime</code>	Display current system uptime
<code>show url management</code>	<code>show url management</code>	Display web management console URL
<code>show url FileReputationService</code>	<code>show url FileReputationService</code>	Display endpoint connection addresses for File Reputation Services
<code>show url WebReputationService</code>	<code>show url WebReputationService</code>	Display endpoint connection addresses for Web Reputation Services

COMMAND	SYNTAX	DESCRIPTION
<code>shutdown</code>	<code>shutdown [time]</code>	Shut down this machine after a specified delay or immediately <code>time</code> UNIT Time in minutes to shutdown this machine [0]

Index

C

- Control Manager
 - integration with Smart Protection
 - Server, 4-3
- Control Manager user-defined suspicious objects, 2-13

D

- documentation feedback, 5-6
- document conventions, vii

S

- Smart Protection Network, 1-3
- Smart Protection Server, 1-3
- Smart Scan pattern, 1-4
- summary screen
 - tabs, 3-3
 - widgets, 3-6
- support
 - resolve issues faster, 5-4

T

- tabs, 3-3
- Trend Micro
 - about, vi

V

- Virtual Analyzer, 2-13

W

- Web Blocking Pattern, 1-4
- widgets, 3-6



TREND MICRO INCORPORATED
225 E. John Carpenter Freeway, Suite 1500
Irving, Texas 75062 U.S.A.
Phone: +1 (817) 569-8900, Toll-free: (888) 762-8736
Email: support@trendmicro.com

www.trendmicro.com

Item Code: APEM37756/170322