



Trend Micro[™] Apex One Service Pack 1 Patch 1

System Requirements

Securing Enterprise Private Mobile Networks

Trend Micro Incorporated reserves the right to make changes to this document and to the products described herein without notice. Before installing and using the software, please review the readme files, release notes, and the latest version of the applicable user documentation, which are available from the Trend Micro website at:

<https://docs.trendmicro.com/en-us/enterprise/trend-micro-apex-one.aspx>

Trend Micro, the Trend Micro t-ball logo, and Trend Micro Apex One are trademarks or registered trademarks of Trend Micro Incorporated. All other product or company names may be trademarks or registered trademarks of their owners.

Copyright © 2023 Trend Micro Incorporated. All rights reserved.

Release Date: July 2023

Protected by U.S. Patent No. 5,623,600; 5,889,943; 5,951,698; 6,119,165

Table of Contents

Chapter 1: Apex One Server Installations

Fresh Installations on Windows Server 2016 Platforms	1-2
Fresh Installations on Windows Server 2019 Platforms	1-3
Fresh Installations on Windows Server 2022 Platforms	1-4
Fresh Installations on Windows MultiPoint Server Platforms	1-5

Chapter 2: Trend Micro Apex One Edge Relay Server Installations

Edge Relay Server System Requirements	2-2
---	-----

Chapter 3: Apex One Security Agent System Requirements

Fresh Installations on Windows Endpoint Platforms	3-3
Fresh Installations on Windows Embedded System Platforms	3-5
Fresh Installations on Windows Server Platforms	3-7
Update Agents	3-11

Chapter 4: Upgrades and Virtualization Support

Apex One Server Upgrade Requirements	4-2
Security Agent Upgrade Requirements	4-2
Apex One Server Web Console Requirements	4-2
Virtual Desktop Support System Requirements	4-3

Index

Index	IN-1
-------------	------



Chapter 1

Apex One Server Installations

This section outlines the Apex One server system requirements on supported Windows Server platforms.



Note

Install the required Windows updates on endpoints to enable Azure Code Signing (ACS). For more information, go to the [Trend Micro Knowledge Base](#).

- [*Fresh Installations on Windows Server 2016 Platforms on page 1-2*](#)
- [*Fresh Installations on Windows Server 2019 Platforms on page 1-3*](#)
- [*Fresh Installations on Windows Server 2022 Platforms on page 1-4*](#)
- [*Fresh Installations on Windows MultiPoint Server Platforms on page 1-5*](#)

Fresh Installations on Windows Server 2016 Platforms

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	SQL SERVER	OTHERS
Windows Server 2016	64-bit	Standard	None	At least 1.86 GHz Intel™ Core™2 Duo AMD™ 64 processor Intel 64 processor	<ul style="list-style-type: none"> 3GB minimum (exclusively for Apex One) 8GB minimum (exclusively for Apex One) Apex One with Endpoint Sensor: <ul style="list-style-type: none"> 8.0GB minimum 	<ul style="list-style-type: none"> 7.0GB minimum Apex One with Endpoint Sensor: <ul style="list-style-type: none"> 8.0GB minimum 	Apex One only officially supports the specified SQL Server editions. <ul style="list-style-type: none"> SQL Server 2012 Express or later SQL Server 2012 (Enterprise/Standard) or later Apex One with Endpoint Sensor: <ul style="list-style-type: none"> SQL Server 2016 SP1 (Enterprise/Standard) or later (SQL Server Express not supported)	Gigabit Network Interface Card (NIC) Monitor that supports 1366 x 768 resolution at 256 colors or higher
		Datacenter						

Fresh Installations on Windows Server 2019 Platforms

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	SQL SERVER	OTHERS
Windows Server 2019 (Desktop Experience GUI mode)	64-bit	Standard	None	At least 1.86 GHz Intel™ Core™2 Duo AMD™ 64 processor Intel 64 processor	<ul style="list-style-type: none"> 3GB minimum (exclusively for Apex One) <p>Apex One with Endpoint Sensor:</p> <ul style="list-style-type: none"> 8GB minimum (exclusively for Apex One) 	<ul style="list-style-type: none"> 7.0GB minimum <p>Apex One with Endpoint Sensor:</p> <ul style="list-style-type: none"> 8.0GB minimum 	Apex One only officially supports the specified SQL Server editions. <ul style="list-style-type: none"> SQL Server 2012 Express or later SQL Server 2012 (Enterprise/Standard) or later <p>Apex One with Endpoint Sensor:</p> <ul style="list-style-type: none"> SQL Server 2016 SP1 (Enterprise/Standard) or later (SQL Server Express not supported) 	Gigabit Network Interface Card (NIC) Monitor that supports 1366 x 768 resolution at 256 colors or higher
		Datacenter						

Fresh Installations on Windows Server 2022 Platforms

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	SQL SERVER	OTHERS
Windows Server 2022	64-bit	Standard	None	At least 1.86 GHz Intel™ Core™2 Duo AMD™ 64 processor Intel 64 processor	<ul style="list-style-type: none"> 3GB minimum (exclusively for Apex One) 8GB minimum (exclusively for Apex One) Apex One with Endpoint Sensor: <ul style="list-style-type: none"> 8.0GB minimum 	<ul style="list-style-type: none"> 7.0GB minimum Apex One with Endpoint Sensor: <ul style="list-style-type: none"> 8.0GB minimum 	Apex One only officially supports the specified SQL Server editions. <ul style="list-style-type: none"> SQL Server 2012 Express or later SQL Server 2012 (Enterprise/Standard) or later SQL Server 2016 SP1 (Enterprise/Standard) or later (SQL Server Express not supported) 	Gigabit Network Interface Card (NIC) Monitor that supports 1366 x 768 resolution at 256 colors or higher
		Datacenter						

Fresh Installations on Windows MultiPoint Server Platforms

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	SQL SERVER	OTHERS
Windows MultiPoint Server 2012	64-bit	Standard	None	At least 1.86 GHz Intel™ Core™2 Duo AMD™ 64 processor Intel 64 processor	<ul style="list-style-type: none"> 3GB minimum (exclusively for Apex One) <p>Apex One with Endpoint Sensor:</p> <ul style="list-style-type: none"> 8GB minimum (exclusively for Apex One) 	<ul style="list-style-type: none"> 7.0GB minimum <p>Apex One with Endpoint Sensor:</p> <ul style="list-style-type: none"> 8.0GB minimum 	Apex One only officially supports the specified SQL Server editions. <ul style="list-style-type: none"> SQL Server 2012 Express or later SQL Server 2012 (Enterprise/Standard) or later <p>Apex One with Endpoint Sensor:</p> <ul style="list-style-type: none"> SQL Server 2016 SP1 (Enterprise/Standard) or later (SQL Server Express not supported) 	Gigabit Network Interface Card (NIC) Monitor that supports 1366 x 768 resolution at 256 colors or higher
		Premium						

Chapter 2

Trend Micro Apex One Edge Relay Server Installations

This section outlines the Trend Micro Apex One Edge Relay Server system requirements on supported Windows Server platforms.

- *Edge Relay Server System Requirements on page 2-2*

Edge Relay Server System Requirements

Before installing the Edge Relay Server, ensure that the target server computer meets the minimum system requirements.

RESOURCE	REQUIREMENTS
Processor	2 GHz dual core
Memory	1 GB (exclusively for the Edge Relay Server)
Disk space	60 GB
Operating system	<ul style="list-style-type: none">Windows Server 2022Windows Server 2019Windows Server 2016Windows Server 2012 R2
Network card	<ul style="list-style-type: none">2 network cards<ul style="list-style-type: none">One for intranet connection to the Apex One serverOne for external connection to off-premises Security Agents1 network card configured to use different ports for intranet and Internet connections

Chapter 3

Apex One Security Agent System Requirements

This section outlines the Apex One Security Agent system requirements for fresh installations on supported Windows platforms.



Note

Install the required Windows updates on endpoints to enable Azure Code Signing (ACS). For more information, go to the [Trend Micro Knowledge Base](#).

- [Fresh Installations on Windows Endpoint Platforms on page 3-3](#)
- [Fresh Installations on Windows Embedded System Platforms on page 3-5](#)
- [Fresh Installations on Windows Server Platforms on page 3-7](#)
- [Update Agents on page 3-11](#)



Important

- Resource spikes may occur if a large number of applications are running simultaneously on an endpoint. If the target endpoint is already running low on memory or disk space, Trend Micro recommends upgrading the necessary hardware components prior to Apex One Security Agent installation or upgrade.
- Trend Micro recommends allocating the minimum system requirements listed as dedicated resources for the Security Agent program to ensure adequate performance during extensive scanning operations.



Note

- All Trend Micro testing on Windows Embedded platforms and Storage Servers is performed in a virtualized environment. Because these operating systems are typically run on custom hardware (for example, on point-of-sale terminals), customers must plan to thoroughly test on their target hardware platform prior to deployment in a production environment. In addition, before raising support cases, customers should attempt to reproduce problems in a virtualized environment because this is the environment the Trend Micro support team has available. If the issue is specific to deployments on custom hardware, Trend Micro may require the customer to provide us with remote access to a suitable environment before we can fully respond to support cases.
 - Trend Micro does not support Apex One Security Agent installation on Windows platforms with the Unified Write Filter (UWF) feature enabled.
-

Fresh Installations on Windows Endpoint Platforms



Important

Resource spikes may occur if a large number of applications are running simultaneously on an endpoint. If the target endpoint is already running low on memory or disk space, Trend Micro recommends upgrading the necessary hardware components prior to Apex One Security Agent installation or upgrade.

Trend Micro recommends allocating the minimum system requirements listed as dedicated resources for the Security Agent program to ensure adequate performance during extensive scanning operations.



Note

All Trend Micro testing on Windows Embedded platforms and Storage Servers is performed in a virtualized environment. Because these operating systems are typically run on custom hardware (for example, on point-of-sale terminals), customers must plan to thoroughly test on their target hardware platform prior to deployment in a production environment. In addition, before raising support cases, customers should attempt to reproduce problems in a virtualized environment because this is the environment the Trend Micro support team has available. If the issue is specific to deployments on custom hardware, Trend Micro may require the customer to provide us with remote access to a suitable environment before we can fully respond to support cases.

Trend Micro does not support Apex One Security Agent installation on Windows platforms with the Unified Write Filter (UWF) feature enabled.

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	OTHERS
Windows 7 (with Extended Security Updates (ESU))	32-bit / 64-bit	Home Basic	SP1	Minimum 1GHz (32-bit) / 2GHz (64-bit) Intel Pentium or equivalent (2GHz recommended) AMD™ 64 processor	<ul style="list-style-type: none"> 2GB minimum (exclusively for Apex One) Apex One with Endpoint Sensor: <ul style="list-style-type: none"> 2GB minimum (exclusively for Apex One) 	<ul style="list-style-type: none"> 1.5GB minimum 2.0GB recommended Apex One with Endpoint Sensor: <ul style="list-style-type: none"> 2.0GB minimum 3.0GB recommended 	Monitor that supports 1024 x 768 resolution at 256 colors or higher Simple File Sharing disabled Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin
		Home Premium					
		Ultimate					
		Professional					
		Enterprise					
		Professional for Embedded Systems					

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	OTHERS		
		Ultimate for Embedded Systems							
		Thin PC							
Windows 8.1	32-bit / 64-bit	Standard	None	Minimum 1GHz (32-bit) / 2GHz (64-bit) Intel Pentium or equivalent (2GHz recommended) AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One) Apex One with Endpoint Sensor: • 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended Apex One with Endpoint Sensor: • 2.0GB minimum • 3.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin		
		Pro							
		Enterprise							
Windows 10 (version 22H2 and earlier)	32-bit / 64-bit	Home	None	Minimum 1GHz (32-bit) / 2GHz (64-bit) Intel Pentium or equivalent (2GHz recommended) AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One) Apex One with Endpoint Sensor: • 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended Apex One with Endpoint Sensor: • 2.0GB minimum • 3.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin		
		Pro							
		Pro for Workstations							
		Education							
		Enterprise							
 Note Windows UI is not supported.									
 Note Windows UI is not supported.									

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	OTHERS
Windows 11 (version 22H2 and earlier)	64-bit	Enterprise	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	<ul style="list-style-type: none"> 2GB minimum (exclusively for Apex One) Apex One with Endpoint Sensor: <ul style="list-style-type: none"> 2GB minimum (exclusively for Apex One) 	<ul style="list-style-type: none"> 1.5GB minimum 2.0GB recommended Apex One with Endpoint Sensor: <ul style="list-style-type: none"> 2.0GB minimum 3.0GB recommended 	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin <hr/>  Note Windows UI is not supported.

Fresh Installations on Windows Embedded System Platforms



Important

Resource spikes may occur if a large number of applications are running simultaneously on an endpoint. If the target endpoint is already running low on memory or disk space, Trend Micro recommends upgrading the necessary hardware components prior to Apex One Security Agent installation or upgrade.

Trend Micro recommends allocating the minimum system requirements listed as dedicated resources for the Security Agent program to ensure adequate performance during extensive scanning operations.

**Note**

All Trend Micro testing on Windows Embedded platforms and Storage Servers is performed in a virtualized environment. Because these operating systems are typically run on custom hardware (for example, on point-of-sale terminals), customers must plan to thoroughly test on their target hardware platform prior to deployment in a production environment. In addition, before raising support cases, customers should attempt to reproduce problems in a virtualized environment because this is the environment the Trend Micro support team has available. If the issue is specific to deployments on custom hardware, Trend Micro may require the customer to provide us with remote access to a suitable environment before we can fully respond to support cases.

Trend Micro does not support Apex One Security Agent installation on Windows platforms with the Unified Write Filter (UWF) feature enabled.

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	OTHERS
Windows Embedded POSReady 7 (with Extended Security Updates (ESU))	32-bit / 64-bit	N/A	None	Minimum 1GHz (32-bit) / 2GHz (64-bit) Intel Pentium or equivalent (2GHz recommended)	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Simple File Sharing disabled
Windows 7 Embedded (with Extended Security Updates (ESU))	32-bit / 64-bit	Standard	SP1	AMD™ 64 processor Intel 64 processor			Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin
		Professional					
		Ultimate					
Windows 8.1 Embedded	32-bit / 64-bit	Pro	None				
		Industry Enterprise					
		Industry Pro					
Windows 10 IoT	32-bit / 64-bit	Enterprise	None				

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	OTHERS
Windows 11 IoT	64-bit	Enterprise	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	<ul style="list-style-type: none"> 2GB minimum (exclusively for Apex One) Apex One with Endpoint Sensor: <ul style="list-style-type: none"> 2GB minimum (exclusively for Apex One) 	<ul style="list-style-type: none"> 1.5GB minimum 2.0GB recommended Apex One with Endpoint Sensor: <ul style="list-style-type: none"> 1.5GB minimum 2.0GB recommended 	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin <hr/>  Note Windows UI is not supported.


Note

- The Security Agent supports Windows Embedded systems when installed with specific core components. For detailed information regarding Windows Embedded system required components, see the Trend Micro Knowledge Base (<https://success.trendmicro.com/solution/1105117>).
- Due to the complexity of Windows Embedded systems, Apex One may not be able to support all optional Windows components. Contact your technical support team if you encounter incompatibilities when using a combination of optional components.

Fresh Installations on Windows Server Platforms


Important

Resource spikes may occur if a large number of applications are running simultaneously on an endpoint. If the target endpoint is already running low on memory or disk space, Trend Micro recommends upgrading the necessary hardware components prior to Apex One Security Agent installation or upgrade.

Trend Micro recommends allocating the minimum system requirements listed as dedicated resources for the Security Agent program to ensure adequate performance during extensive scanning operations.

**Note**

All Trend Micro testing on Windows Embedded platforms and Storage Servers is performed in a virtualized environment. Because these operating systems are typically run on custom hardware (for example, on point-of-sale terminals), customers must plan to thoroughly test on their target hardware platform prior to deployment in a production environment. In addition, before raising support cases, customers should attempt to reproduce problems in a virtualized environment because this is the environment the Trend Micro support team has available. If the issue is specific to deployments on custom hardware, Trend Micro may require the customer to provide us with remote access to a suitable environment before we can fully respond to support cases.

Trend Micro does not support Apex One Security Agent installation on Windows platforms with the Unified Write Filter (UWF) feature enabled.

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	OTHERS
Windows Server 2008 R2 (with Extended Security Updates (ESU))	64-bit	Standard	SP1	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Simple File Sharing disabled Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled)
		Enterprise					
		Datacenter					
		Web					
		Server Core					
Windows Storage Server 2008 R2 (with Extended Security Updates (ESU))	64-bit	Basic	SP1				
		Standard					
		Enterprise					
		Workgroup					
Windows HPC Server 2008 R2 (with Extended Security Updates (ESU))	64-bit	N/A	None				

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	OTHERS
Windows MultiPoint Server 2011	64-bit	Standard	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin
		Premium					
Windows Server 2012	64-bit	Standard	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin
		Datacenter					
		Server Core					
		Standard	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin
		Datacenter					
		Server Core					
		Standard	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin
		Workgroup					
		Standard	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin
		Workgroup					
		Standard	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin
		Premium					
		N/A	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin
		N/A	None				



Note

Windows UI is not supported.

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	OTHERS						
Windows Server 2016	64-bit	Standard	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin						
		Datacenter											
		Server Core											
Windows Server 2016 Failover Clusters	N/A	None											
Windows Storage Server 2016	64-bit	Standard	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin						
		Workgroup											
Windows Server 2019	64-bit	Standard	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin						
		Datacenter											
		Server Core											
<p> Note Windows UI is not supported.</p>													
<p> Note Windows UI is not supported.</p>													

OPERATING SYSTEM		EDITION	SERVICE PACK	PROCESSOR	RAM	AVAILABLE DISK SPACE	OTHERS
Windows Server 2022	64-bit	Standard	None	Minimum 2GHz (64-bit) Intel Pentium or equivalent AMD™ 64 processor Intel 64 processor	• 2GB minimum (exclusively for Apex One)	• 1.5GB minimum • 2.0GB recommended	Monitor that supports 1024 x 768 resolution at 256 colors or higher Enable Remote Registry Allow printer/file sharing in the Windows firewall (if enabled) Enable default local admin
		Datacenter					
		Server Core					


Note

For processor and RAM requirements for a specific platform, refer to the Microsoft system requirements for that platform.

Update Agents


Important

Resource spikes may occur if a large number of applications are running simultaneously on an endpoint. If the target endpoint is already running low on memory or disk space, Trend Micro recommends upgrading the necessary hardware components prior to Apex One Security Agent installation or upgrade.

Trend Micro recommends allocating the minimum system requirements listed as dedicated resources for the Security Agent program to ensure adequate performance during extensive scanning operations.

RESOURCE	REQUIREMENTS
Processor	Minimum 1GHz (32-bit) / 2GHz (64-bit) Intel Pentium or equivalent (2GHz recommended)
RAM	2GB minimum (exclusively for Apex One)

RESOURCE	REQUIREMENTS
Available disk space	<ul style="list-style-type: none">• 1.8GB minimum• 2.3GB recommended
Display	Monitor that supports 1024 x 768 resolution at 256 colors or higher

Chapter 4

Upgrades and Virtualization Support

This section outlines the system requirements for upgrading the server and agent programs, and supported virtualization platforms.

- *Apex One Server Upgrade Requirements on page 4-2*
- *Security Agent Upgrade Requirements on page 4-2*
- *Apex One Server Web Console Requirements on page 4-2*
- *Virtual Desktop Support System Requirements on page 4-3*

Apex One Server Upgrade Requirements

This version of Apex One supports upgrading from the following version:

- Apex One

Before upgrading, ensure that the server meets the necessary hardware requirements for your version of Windows.

For more information, see [Apex One Server Installations on page 1-1](#).

Security Agent Upgrade Requirements

Apex One Service Pack 1 supports upgrading from the following version:

- Apex One

Keep your older Apex One servers if you have agents running Windows XP (or earlier), Windows 8.0, or Windows Server 2008 (or earlier) and you want to continue managing these agents. For details on managing these agents, see the topic *Unsupported Operating Systems* in the *Installation and Upgrade Guide*.



Important

Resource spikes may occur if a large number of applications are running simultaneously on an endpoint. If the target endpoint is already running low on memory or disk space, Trend Micro recommends upgrading the necessary hardware components prior to Apex One Security Agent installation or upgrade.

Trend Micro recommends allocating the minimum system requirements listed as dedicated resources for the Security Agent program to ensure adequate performance during extensive scanning operations.

Apex One Server Web Console Requirements

RESOURCE	REQUIREMENTS
Processor	300MHz Intel Pentium processor or equivalent
RAM	128MB minimum
Available disk space	30MB minimum
Display	Monitor that supports 1366 x 768 resolution at 256 colors or higher

RESOURCE	REQUIREMENTS
Browser	<ul style="list-style-type: none">• Chrome• Microsoft Edge (Legacy and Chromium editions)  Note Windows UI is not supported.

Virtual Desktop Support System Requirements

The following table lists the virtual platforms supported by Virtual Desktop Support.

VIRTUALIZATION PROVIDER	SUPPORTED PLATFORMS
VMware	<ul style="list-style-type: none">• VMware vCenter: 5.x, 6.x, 7.x, 8.x• VMware View: 4.x, 5.x, 6.x• VMware Horizon View: 6.x, 7.x, 8.x
Citrix	<ul style="list-style-type: none">• Citrix XenServer: 6.x, 7.x

VIRTUALIZATION PROVIDER	SUPPORTED PLATFORMS
HyperV	<p>Hyper-V Server:</p> <ul style="list-style-type: none">• Microsoft Hyper-V Server 2008/2008 R2 (64-bit)• Microsoft Hyper-V Server 2012/2012 R2 (64-bit)• Microsoft Hyper-V Server 2016 (64-bit)• Microsoft Hyper-V Server 2019 (64-bit) <p>Windows Server Hyper-V:</p> <ul style="list-style-type: none">• Windows Server 2008/2008 R2 (64-bit) Hyper-V• Windows Server 2012/2012 R2 (64-bit) Hyper-V• Windows Server 2016 (64-bit) Hyper-V• Windows Server 2019 (64-bit) Hyper-V• Windows Server 2022 (64-bit) Hyper-V <p>Windows Hyper-V:</p> <ul style="list-style-type: none">• Windows 8/8.1 Pro/Enterprise (64-bit) Hyper-V• Windows 10 Pro/Pro for Workstation/Enterprise (64-bit) Hyper-V• Windows 11 Pro/Pro for Workstation/Enterprise (64-bit) Hyper-V

Index

A

Apex One server
 upgrading, 4-2
 web console, 4-2, 4-3
 Windows MultiPoint Server 2012, 1-5
 Windows Server 2016, 1-2
 Windows Server 2019, 1-3
 Windows Server 2022, 1-4

S

Security Agent
 Update Agent, 3-11, 3-12
 upgrading, 4-2
 Windows 10, 3-4
 Windows 10 IoT, 3-6
 Windows 11, 3-5
 Windows 11 IoT, 3-7
 Windows 7, 3-3
 Windows 7 Embedded, 3-6
 Windows 8.1, 3-4
 Windows 8.1 Embedded, 3-6
 Windows Embedded
 POSReady 7, 3-6
 Windows HPC Server 2008 R2, 3-8
 Windows MultiPoint Server 2011, 3-9
 Windows MultiPoint Server 2012, 3-9
 Windows Server 2008 R2, 3-8
 Windows Server 2012, 3-9

Windows Server 2012 Failover Clusters, 3-9
 Windows Server 2012 R2, 3-9
 Windows Server 2012 R2 Failover Clusters, 3-9
 Windows Server 2016, 3-10
 Windows Server 2016 Failover Clusters, 3-10
 Windows Server 2019, 3-10
 Windows Server 2022, 3-11
 Windows Storage Server 2008 R2, 3-8
 Windows Storage Server 2012, 3-9
 Windows Storage Server 2012 R2, 3-9
 Windows Storage Server 2016, 3-10

U

Update Agent, 3-11, 3-12
 upgrading the Apex One server, 4-2
 upgrading the Security Agent, 4-2

W

web console, 4-2, 4-3
 Windows 10, 3-4
 Windows 11, 3-5
 Windows 7, 3-3
 Windows 7 Embedded, 3-6
 Windows 8.1, 3-4
 Windows 8.1 Embedded, 3-6
 Windows Embedded POSReady 7, 3-6

Windows HPC Server 2008 R2, 3-8
 Windows MultiPoint Server 2011, 3-9
 Windows MultiPoint Server 2012, 1-5, 3-9
 Windows Server 2008 R2, 3-8
 Windows Server 2012, 3-9
 Windows Server 2012 Failover Clusters, 3-9
 Windows Server 2012 R2, 3-9
 Windows Server 2012 R2 Failover Clusters, 3-9
 Windows Server 2016, 1-2, 3-10
 Windows Server 2016 Failover Clusters, 3-10
 Windows Server 2019, 1-3, 3-10
 Windows Server 2022, 1-4, 3-11
 Windows Storage Server 2008 R2, 3-8
 Windows Storage Server 2012, 3-9
 Windows Storage Server 2012 R2, 3-9
 Windows Storage Server 2016, 3-10

**TREND MICRO INCORPORATED**

225 E. John Carpenter Freeway, Suite 1500
Irving, Texas 75062 U.S.A.
Phone: +1 (817) 569-8900, Toll-free: (888) 762-8736
Email: support@trendmicro.com

www.trendmicro.com

Item Code: APEM09727/230508